QuickBayt® Spray Fly Bait

Date MSDS prepared: October 7th 2009

1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND SUPPLIER

Product name: QuickBayt® Spray Fly Bait

Product code (UVP): 06277055 Recommended use: Insecticide

Supplier: Bayer Environmental Science – A Business Operation of

Bayer CropScience Pty Ltd ABN 87 000 226 022

Address: 391 - 393 Tooronga Road, East Hawthorn

Victoria 3123, Australia

Telephone: (03) 9248 6888 Facsimile: (03) 9248 6800

Website: www.bayercropscience.com.au
Contact: Technical Manager (03) 9248 6888

Emergency

Telephone Number: 1800 033 111 – Orica SH&E Shared Services

2. HAZARDS IDENTIFICATION

NON-HAZARDOUS SUBSTANCE - DANGEROUS GOOD

Hazard designation: Not classified as hazardous according to criteria of NOHSC Australia

Risk phrases: Not applicable Safety phrases: Not applicable

ADG classification: Not classified as "dangerous goods" for transport by road or rail according to the Australian

Code for the Transport of Dangerous Goods by Road and Rail.

Classified as Environmentally Hazardous (Marine Pollutant) for air or sea transport.

SUSDP Schedule 5

classification:

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients:	CAS Number:	Concentration (%):
Imidacloprid	[138261-41-3]	10.0
Amorphous silica	[7631-86-9]	>1.0
Other ingredients	Non-hazardous	~89.0

QuickBayt® Spray Fly Bait

Date MSDS prepared: October 7th 2009

4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (Phone 13 11 26), and follow the advice given. Show this Material Safety Data Sheet to a doctor.

Inhalation: If dust is inhaled remove to fresh air and keep at rest. Seek medical advice.

The strong odour associated with the product is due to the food-flavouring attractant

blends in the formulation and is not associated with the active ingredient.

Skin contact: Wash off skin immediately with soap and plenty of water. Seek medical advice if symptoms

persist.

Eye contact: Rinse eyes immediately with plenty of water for at least 15 minutes (including under

eyelids). Remove contact lenses (if relevant) after the first five minutes, then continue

rinsing the eye. Seek medical attention if irritation develops and persists.

Ingestion: Call a doctor or poisons information centre immediately. Rinse mouth. Induce vomiting

only if: 1. Patient is fully conscious, 2. Medical aid is not readily available, 3. A significant amount (more than a mouthful) has been ingested and, 4. Time since ingestion is les than

1 hour. Vomit should not be allowed to enter respiratory tract.

This product contains a taste deterrent and ingestion of large quantities is unlikely.

First Aid Facilities: Provide washing facilities in the workplace.

Treatment: Apply basic aid and decontamination procedures. Treat symptoms.

Monitor respiratory and cardiac functions.

In case of ingestion, gastric lavage should be considered in cases of significant ingestions, only within the first 2 hours. However the application of activated charcoal and sodium

sulphate is always advisable.

5. FIRE FIGHTING MEASURES

Extinguishing media: Use water spray, alcohol resistant foam, dry chemical or carbon dioxide.

Avoid use of high volume water jet.

Hazards from combustion products:

In the event of fire the following may be released: Hydrogen chloride, hydrogen cyanide,

carbon monoxide and nitrogen oxides.

Precautions for fire

Fight fire in the early stages if safe to do so. Wear respiratory protection.

fighters:

Well ventilated areas: wear full face mask with combination filter eg., ABEK-P2 (offers no

protection from carbon monoxide)

Enclosed premises: wear respirator with independent air supply. Make provision for product and fire-fighting water to be retained.

QuickBayt® Spray Fly Bait

Date MSDS prepared: October 7th 2009

6. ACCIDENTAL RELEASE MEASURES

If spillage occurs, prevent spillage from spreading or entering waterways and underground drains.

Sweep up spillage and place in a sealable container.

On completion of clean-up, scrub area with detergent and water and rinse with water.

Do not smoke, eat or drink during clean-up operations.

If washing of treated surfaces is necessary, any wash-off water should be collected or prevented from entering waterways or drains. Wash-off water can be disposed of by pouring over bare soil or around non-food producing plants.

7. HANDLING AND STORAGE

Engineering controls:

Handling: Use only in areas with appropriate ventilation.

Storage: Store in the closed, original container in a cool, well ventilated place out of direct sunlight.

Store below 30°C. Keep away from food, drink and animal foodstuffs.

Suitable storage materials:

HDPE

Aluminium composite film (minimum 0.007 mm aluminium)

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure standards: NOHSC exposure standards have not been established for imidacloprid or for any of the

inert constituents of this formulation.

Bayer recommends an occupational exposure limit of 0.7 mg/m³. No engineering controls are required in the normal use of this product.

Personal Protective In normal use and handling refer to product label. Equipment: In all other cases the following recommendations apply:

Respiratory protection: No personal respiratory protective equipment normally required. Hand protection: Wear CE marked (or equivalent) nitrile rubber gloves (minimum thickness 0.4 mm). Wash when contaminated. Dispose of when contaminated inside, when perforated or when contamination outside cannot be removed. Wash hands before

eating, drinking, smoking or using the toilet.

Eye protection: Wear goggles.

Skin and body protection: Wear polyester/cotton overalls underneath chemical protection

suit if possible.

Wash hands after handling the product.

QuickBayt® Spray Fly Bait

Date MSDS prepared: October 7th 2009

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White to beige fine granule
Odour: Characteristic (cheese like) smell
Vapour pressure: 4 x 10⁻⁷ mPa at 20° C (imidacloprid)

Vapour density: Not available Melting point: 181 °C

Solubility: Dispersible in water Density: Not available pH: 6.0 (1% in water)

Flash Point: No flash point up to 100°C.

Ignition temperature: 345 °C

partition coefficient:

Formulation: Water dispersible granule (WG)

10. STABILITY AND REACTIVITY

Hazardous reactions: No hazardous reactions when stored and handled according to prescribed instructions.

Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

Acute Oral toxicity: LD₅₀ rat: > 5000 mg/kg

Acute dermal LD₅₀ rat: > 5000 mg/kg (Active Ingredient)

toxicity:

Inhalation toxicity: LC50 (rat) >5323 mg/L, aerosol (4 hr) (Active Ingredient)

Skin irritation: Not irritating (rabbit)

Eye irritation: Not irritating (rabbit)

Sensitisation: Not sensitising (guinea pig)

Other information:

Animal studies show no evidence of oncogenic effect, no evidence of carcinogenic effects and no teratogenic potential for imidacloprid.

QuickBayt® Spray Fly Bait

Date MSDS prepared: October 7th 2009

12. ECOLOGICAL INFORMATION

Imidacloprid is toxic to certain aquatic species. Dangerous to bees.

Do not contaminate ponds, waterways or drains with the product or used containers.

Toxicity to fish: lmidacloprid:

Fish toxicity:

LC₅₀: 237 mg/L (96 h); golden orfe (*Leuciscus idus melanotis*) LC₅₀: 211 mg/L (96 h); rainbow trout (*Oncorhynchus mykiss*)

LC₅₀: 280 mg/L (96 h); carp (*Cyprinus carpio*)

Toxicity to aquatic invertebrates:

EC₅₀: 0.055 mg/L (48 h); *Hyalella azteca* EC₅₀: 85 mg/L (48 h) *Daphnia magna*

Toxicity to algae: EC₅₀: > 100 mg/L (72 h); green alga (*Pseudokirchneriella subcapitata*)

Toxicity to birds: Acute oral LD₅₀: 31 mg/kg; Japanese quail

Acute oral LD₅₀: 152 mg/kg; bobwhite quail

Environmental fate, persistence and

Imidacloprid shows a medium adsorption to soil. Classified as immobile in soil. Not

expected to leach.

degradation:

13. DISPOSAL CONSIDERATIONS

1) After intended use:

Triple or preferably pressure rinse containers before disposal. Dispose of rinsings in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. If recycling replace cap and return clean containers to recycler or designated collection point. If not recycling break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit. Empty containers and product should not be burnt.

2) After spill or accident:

Dispose of sealed containers at an approved local disposal site.

QuickBayt® Spray Fly Bait

Date MSDS prepared: October 7th 2009

14. TRANSPORT INFORMATION

UN number: Not applicable Proper shipping Not applicable

name:

Class and Not "dangerous goods" for transport by road or rail according to the Australian Code for the

Subsidiary Risk: Transport of Dangerous Goods by Road and Rail.

Packing Group: Not applicable EPG: Not applicable Hazchem code: Not applicable

IMDG

UN number: 3077

Description of ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IMIDACLOPRID

goods: MIXTURE)

Labels: 9
Packaging Group: III

15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Act 1988.

APVMA Approval Number: 61737

16. OTHER INFORMATION

Trademark QuickBayt® is a Registered Trademark of Bayer

information:

Preparation First edition.

information:

Data sources: Bayer CropScience Pty Ltd product safety data and published data

This MSDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

END OF MSDS