


CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



TRIFLUMURON 480 LARVICIDE

ACTIVE CONSTITUENT: 480g/L TRIFLUMURON

GROUP 15A INSECTICIDE

For the control of silverfish, immature fleas and cockroaches in indoor and outdoor situations.

TO BE USED BY LICENSED COMMERCIAL PEST CONTROL MANAGERS ONLY

Contents: 100mL

A & C RURAL PTY LTD
ABN: 52 010 865 317
Lot 96 Potassium Street,
Narangba Qld 4504
Ph: (07) 3897 2022

APVMA Approval no: 59038/100mL/0804

DIRECTIONS FOR USE:

For full details, see the attached leaflet. Before using this product, read all directions on this leaflet.

STORAGE AND DISPOSAL

Rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. Dispose of at a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS:

Will irritate the nose, throat and skin. Avoid contact with skin. Do not inhale spray mist. When opening the container and preparing spray, wear elbow length PVC gloves. Wash hands after use. After each day's use, wash gloves.

FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26)

MSDS

Additional information is listed in the Material Safety Data Sheet which is available from A & C Rural upon request.

D.O.M.:

Batch no:

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Country
(logo)

TRIFLUMURON 480 LARVICIDE

ACTIVE CONSTITUENT: 480g/L TRIFLUMURON

GROUP 15A INSECTICIDE

For the control of silverfish, immature fleas and cockroaches in indoor and outdoor situations.

TO BE USED BY LICENSED COMMERCIAL PEST CONTROL MANAGERS ONLY

A & C RURAL PTY LTD
ABN: 52 010 865 317
Lot 96 Potassium Street,
Narangba Qld 4504
Ph: (07) 3897 2022

APVMA Approval no: 59038/100mL/0804

DIRECTIONS FOR USE

Situation	Pest	Rate
Household, commercial, industrial, government buildings – indoor/outdoor	Flea larvae	1 mL / 2 L water / 20m ²
	Immature cockroaches	1-2 mL / 1 L water
	Silverfish	

CRITICAL COMMENTS**FLEA CONTROL**

Thoroughly spray all infested area.

It is recommended that premises are vacuumed and contents of vacuum bag removed before treatment takes place. This is particularly important where adult fleas are present.

Ensure pets are treated with a suitable insecticide to avoid re-infestation of the treated premises.

Exterior Use: Pre wetting the soil with a garden hose may be required on very dry soil.

COCKROACH CONTROL

When treating for cockroaches, apply thoroughly to cracks, crevices and other places where cockroaches may hide and breed. Apply to point of run off.

The lower (1 mL/L) rate will be effective in most situations for a full season. Use the higher rate under difficult conditions or where more than a season long control is required.

SILVERFISH CONTROL

When treating for silverfish apply thoroughly to surfaces in cupboards, cracks, crevices and other places frequented by silverfish. Apply to point of run-off.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS

Triflumuron 480 is a slow acting insecticide which has its greatest effect on early juvenile stages of insects. Applied to breeding areas, Triflumuron will prevent pest populations from building up to problem levels.

Where quick action is required the use of a knockdown product as a tank mix with Triflumuron is recommended. Triflumuron is compatible with most adulticides such as Baytex and Responsar Beta SC. Alternatively, the concurrent use of bait or fogging treatments is recommended.

If used alone on established pest populations, it will take several weeks for populations to decline to acceptable levels (3-4 weeks for fleas and 1-2 months for cockroaches). Triflumuron should only be used alone when the pest population has already been reduced by other measures or when the property owner is willing to accept a slow action.

INSECTICIDE RESISTANCE WARNING

GROUP 15A INSECTICIDE

For insecticide resistance management Triflumuron 480 Larvicide is a Group 15A insecticide.

Some naturally occurring insect biotypes resistant to Triflumuron 480 Larvicide and other Group 15A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Triflumuron 480 Larvicide or other 15A insecticides are used repeatedly. The effectiveness of Triflumuron 480 Larvicide on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, A & C Rural Pty Ltd accepts no liability for any losses that may result from the failure of Triflumuron 480 Larvicide to control resistant insects.

Triflumuron 480 Larvicide may be subject to specific resistance management strategies. For further information contact your local supplier or A & C Rural Pty Ltd representative or local agricultural department agronomist.

MIXING

Mix Triflumuron 480 in the required amount of water or prepared knockdown product to uniformly and accurately apply the required amount.

PRECAUTIONS

Avoid contact with food, food utensils, or places where food is prepared or stored.

Before use – remove or cover all exposed foodstuffs; cover all dishes and utensils, and places where food is prepared or stored.

After use – thoroughly ventilate treated area. Clean up thoroughly before processing/serving resumes.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to non-target insects, fish, yabbies and other aquatic and soil arthropods. Do NOT contaminate dams, drains, ponds, creeks and other waterways with the product or used containers.

STORAGE AND DISPOSAL

Rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. Dispose of at a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt

SAFETY DIRECTIONS

Will irritate the nose, throat and skin. Avoid contact with skin. Do not inhale spray mist. When opening the container and preparing spray wear elbow length PVC gloves. Wash hands after use. After each day's use wash gloves.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26).

M.S.D.S.

Additional information is listed in the Material Safety Data Sheet which is available from A & C Rural upon request.

CONDITIONS OF SALE

The use of COUNTRY TRIFLUMURON 480 LARVICIDE being beyond the control of the manufacturer no warranty expressed or implied is given by A & C RURAL PTY LTD regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and A & C RURAL PTY LTD accepts no responsibility for any consequence whatsoever resulting from the use of this product.