

# SAFETY DATA SHEET

According to Safe Work Australia

Printing date 03.12.2016

Revision: 03.12.2016

## 1. IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

**Product Name:** MAXUMPRO® 125 SC INSECTICIDE

**Other Means of Identification:** Mixture

**Recommended Use of the Chemical and Restriction on Use:**

Insecticide spray for general pest control use.

**Details of Manufacturer or Importer:**

Sundew Solutions Pty Ltd  
Unit 11, 4 Dunlop Court  
Bayswater VIC 3153

**Phone Number:** 1800 786 339

**Emergency telephone number:** 1800 786 339

## 2. HAZARDS IDENTIFICATION

**Hazardous Nature:**

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)



skull and crossbones

Acute Toxicity (Oral) 2      H300 Fatal if swallowed.

Acute Toxicity (Inhalation) 2      H330 Fatal if inhaled.



environment

Aquatic Acute 1      H400 Very toxic to aquatic life.

Aquatic Chronic 1      H410 Very toxic to aquatic life with long lasting effects.

**Signal Word** Danger

**Hazard Statements**

H300+H330 Fatal if swallowed or if inhaled.

H410      Very toxic to aquatic life with long lasting effects.

**Precautionary Statements**

P260      Do not breathe dust/fume/gas/mist/vapours/spray.

P284      [In case of inadequate ventilation] wear respiratory protection.

P273      Avoid release to the environment.

P264      Wash hands thoroughly after handling.

P270      Do not eat, drink or smoke when using this product.

P271      Use only outdoors or in a well-ventilated area.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P320      Specific treatment is urgent (see on this label).

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P330      Rinse mouth.

P391      Collect spillage.

P405      Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501      Dispose of contents/container in accordance with local/regional/national regulations.

(Contd. on page 2)

# SAFETY DATA SHEET

According to Safe Work Australia

Printing date 03.12.2016

Revision: 03.12.2016

**Product Name: MAXUMPRO® 125 SC INSECTICIDE**

(Contd. of page 1)

## 3 . COMPOSITION AND INFORMATION ON INGREDIENTS

**Chemical Characterization: Mixtures****Description:** Mixture of substances listed below with nonhazardous additions.**Hazardous Components:**

68359-37-5	alpha-cyano-4-fluoro-3-phenoxybenzyl-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate ⚠ Acute Toxicity (Oral) 1, H300; Acute Toxicity (Inhalation) 3, H331; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	12.5%
57-55-6	1,2-Propanediol	4-6%
2634-33-5	1,2-benzisothiazol-3(2H)-one ⚠ Serious Eye Damage/Irritation 1, H318; ⚠ Aquatic Acute 1, H400; ⚠ Acute Toxicity (Oral) 4, H302; Skin Corrosion/Irritation 2, H315; Skin Sensitisation 1, H317	0.008%
2682-20-4	3-Isothiazolone, 2-methyl- ⚠ Acute Toxicity (Oral) 2, H300; Acute Toxicity (Dermal) 2, H310; ⚠ Skin Corrosion/Irritation 1B, H314; ⚠ Serious Eye Damage/Irritation 1, H318; ⚠ Skin Sensitisation 1, H317	0.008%

## 4 . FIRST AID MEASURES

**Inhalation:**

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

**Skin Contact:**

In case of skin irritation, remove contaminated clothing and wash affected areas with water and soap for 10 minutes. Seek medical attention.

**Eye Contact:**

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

**Ingestion:**

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek medical attention.

**Symptoms Caused by Exposure:**

Inhalation: Fatal if inhaled. Inhalation may cause chest tightness, bronchial hypersecretion and pulmonary oedema.

Skin Contact: May cause mild skin irritation, numbness, stinging or burning sensation.

Eye Contact: May cause eye irritation, stinging, reddening and watering.

Ingestion: Fatal if swallowed. Ingestion causes nausea, vomiting, diarrhoea, abdominal pain, and salivation.

Potential CNS effects are dizziness, blurred vision, headache, listlessness, anorexia, somnolence, seizures, convulsions, tremor and coma.

## 5 . FIRE FIGHTING MEASURES

**Suitable Extinguishing Media:** Water spray, carbon dioxide, foam and dry chemical.

**Specific Hazards Arising from the Chemical:**

Hazardous combustion products include oxides of carbon and nitrogen, hydrogen cyanide, hydrogen fluoride and hydrogen chloride.

**Special Protective Equipment and Precautions for Fire Fighters:**

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

(Contd. on page 3)

# SAFETY DATA SHEET

## According to Safe Work Australia

Printing date 03.12.2016

Revision: 03.12.2016

Product Name: MAXUMPRO® 125 SC INSECTICIDE

(Contd. of page 2)

### 6 . ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours.

#### Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

#### Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Wash spill area, preventing runoff from entering drains.

### 7 . HANDLING AND STORAGE

#### Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

#### Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep in original container, tightly closed when not in use. Protect from direct sunlight and heat. Keep away from oxidising agents, strong acids and bases.

### 8 . EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

#### 57-55-6 1,2-Propanediol

WES	TWA: 474* 10** mg/m <sup>3</sup> , 150* ppm *vapour&particulates;**particulates only
-----	---

**Engineering Controls:** Ensure adequate ventilation of the working area.

#### Respiratory Protection:

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

#### Skin Protection:

PVC or rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

#### Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

(Contd. on page 4)

# SAFETY DATA SHEET

According to Safe Work Australia

Printing date 03.12.2016

Revision: 03.12.2016

Product Name: MAXUMPRO® 125 SC INSECTICIDE

(Contd. of page 3)

## 9 . PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	
<b>Form:</b>	Liquid
<b>Colour:</b>	White
<b>Odour:</b>	Characteristic
<b>Odour Threshold:</b>	No information available
<b>pH-Value:</b>	4.5-5 (undiluted)
<b>Melting point/Melting range:</b>	No information available
<b>Initial Boiling Point/Boiling Range:</b>	100 °C
<b>Flash Point:</b>	Not applicable
<b>Flammability:</b>	Product is not flammable.
<b>Auto-ignition Temperature:</b>	No information available
<b>Decomposition Temperature:</b>	No information available
<b>Explosion Limits:</b>	
<b>Lower:</b>	Not applicable
<b>Upper:</b>	Not applicable
<b>Vapour Pressure:</b>	No information available
<b>Relative Density at 20 °C:</b>	1.037
<b>Vapour Density:</b>	No information available
<b>Evaporation Rate:</b>	No information available
<b>Solubility in Water:</b>	Miscible
<b>Partition Coefficient (n-octanol/water) at 22 °C:</b>	6.18 log POW (Beta-cyfluthrin)
<b>Viscosity at 20 °C:</b>	40-120 mPas

## 10 . STABILITY AND REACTIVITY

**Possibility of Hazardous Reactions:** Hazardous polymerisation will not occur.

**Chemical Stability:** Stable at ambient temperature and under normal conditions of use.

**Conditions to Avoid:** Direct sunlight and heat.

**Incompatible Materials:** Oxidising agents, strong acids and bases.

**Hazardous Decomposition Products:**

Oxides of carbon and nitrogen, hydrogen cyanide, hydrogen fluoride and hydrogen chloride.

## 11 . TOXICOLOGICAL INFORMATION

**Toxicity:**

**LD<sub>50</sub>/LC<sub>50</sub> Values Relevant for Classification:** No information available

**Acute Health Effects**

**Inhalation:**

Fatal if inhaled. Inhalation may cause chest tightness, bronchial hypersecretion and pulmonary oedema.

**Skin:** May cause skin irritation, numbness, stinging or burning sensation.

**Eye:** May cause eye irritation, stinging, reddening and watering.

**Ingestion:**

Fatal if swallowed. Ingestion causes nausea, vomiting, diarrhoea, abdominal pain, and salivation.

Potential CNS effects are dizziness, blurred vision, headache, listlessness, anorexia, somnolence, seizures, convulsions, tremor and coma. Vapours may cause respiratory discomfort. Inhalation of high vapour concentration may cause similar to that of ingestion.

**Skin Corrosion / Irritation:** Based on classification principles, the classification criteria are not met.

**Serious Eye Damage / Irritation:** Based on classification principles, the classification criteria are not met.

(Contd. on page 5)

# SAFETY DATA SHEET

## According to Safe Work Australia

Printing date 03.12.2016

Revision: 03.12.2016

**Product Name: MAXUMPRO® 125 SC INSECTICIDE**

(Contd. of page 4)

**Respiratory or Skin Sensitisation:** Based on classification principles, the classification criteria are not met.**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.**Carcinogenicity:** This product does NOT contain any IARC listed chemicals.**Reproductive Toxicity:** Based on classification principles, the classification criteria are not met.**Specific Target Organ Toxicity (STOT) - Single Exposure:**

Based on classification principles, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT) - Repeated Exposure:**

Based on classification principles, the classification criteria are not met.

**Aspiration Hazard:** Based on classification principles, the classification criteria are not met.**Chronic Health Effects:** No information available**Existing Conditions Aggravated by Exposure:** No information available**Additional toxicological information:**

The Australian Acceptable Daily Intake (ADI) for beta-cyfluthrin for a human is 0.01 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 1.5 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Comm. Dept. of Health and Ageing Office of Chemical Safety, 'ADI List', June 2014).

## 12 . ECOLOGICAL INFORMATION

**Ecotoxicity:** Beta-cyfluthrin is toxic to bees. It has a low toxicity to birds, mammals and earthworms.**Aquatic toxicity:**Fish toxicity:  $LC_{50}=0.33 \mu\text{g/L/96 hr}$ Daphnia toxicity:  $LC_{50} = 0.29 \mu\text{g/L/48 hr}$ Toxicity to algae:  $EC_{50} >10 \mu\text{g/L/96 hr}$ 

Highly toxic to aquatic life with long lasting effects.

**Persistence and Degradability:**

The degradation of betacyfluthrin is rapid in different soils. It is readily biodegradable.

**Bioaccumulative Potential:** The bioconcentration factor (BCF) of betacyfluthrin is 506.**Mobility in Soil:** No information available**Other adverse effects:** No information available

## 13 . DISPOSAL CONSIDERATIONS

**Disposal Methods and Containers:** Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

## 14 . TRANSPORT INFORMATION

**UN Number****ADG****IMDG, IATA**

Not regulated

UN3082

**Proper Shipping Name****ADG****IMDG, IATA**

Not regulated

ENVIRONMENTALLY HAZARDOUS SUBSTANCE ,  
LIQUID, N.O.S.

(Contd. on page 6)

# SAFETY DATA SHEET

According to Safe Work Australia

Printing date 03.12.2016

Revision: 03.12.2016

**Product Name: MAXUMPRO® 125 SC INSECTICIDE**

(Contd. of page 5)

**Dangerous Goods Class**

**ADG Class:** Not regulated  
**IMDG Class:** 9 Miscellaneous dangerous substances and articles.

**Packing Group:**

**ADG** Not regulated  
**IMDG, IATA** III

**Marine pollutant:** No**EMS Number:** F-A,S-F**Hazchem Code:** .3Z**Special Provisions:** 179, 274, 331, 335, AU01**Limited Quantities:** 5L**Packagings & IBCs - Packing Instruction:** P001, IBC03, LP01**Packagings & IBCs - Special Packing Provisions:** PP1**Portable Tanks & Bulk Containers - Instructions:** T4

**Portable Tanks & Bulk Containers - Special Provisions:** TP1, TP29

## 15 . REGULATORY INFORMATION

**Australian Inventory of Chemical Substances:**

68359-37-5	alpha-cyano-4-fluoro-3-phenoxybenzyl-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate
57-55-6	1,2-Propanediol
2634-33-5	1,2-benzisothiazol-3(2H)-one
2682-20-4	3-Isothiazolone, 2-methyl-

**Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:**

Poisons Schedule: 6

## 16 . OTHER INFORMATION

**Date of Preparation or Last Revision:** 03.12.2016**Prepared by:** MSDS.COM.AU Pty Ltd[www.msds.com.au](http://www.msds.com.au)**Abbreviations and acronyms:**

ADG: Australian Dangerous Goods  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 LC<sub>50</sub>: Lethal concentration, 50 percent  
 LD<sub>50</sub>: Lethal dose, 50 percent  
 IARC: International Agency for Research on Cancer  
 STEL: Short Term Exposure Limit  
 TWA: Time Weighted Average  
 NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)  
 Acute Toxicity (Oral) 1: Acute toxicity – Category 1  
 Acute Toxicity (Oral) 2: Acute toxicity – Category 2  
 Acute Toxicity (Oral) 4: Acute toxicity – Category 4  
 Acute Toxicity (Inhalation) 3: Acute toxicity – Category 3  
 Skin Corrosion/Irritation 1B: Skin corrosion/irritation – Category 1B  
 Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2

(Contd. on page 7)

# SAFETY DATA SHEET

## According to Safe Work Australia

Printing date 03.12.2016

Revision: 03.12.2016

**Product Name: MAXUMPRO® 125 SC INSECTICIDE**

(Contd. of page 6)

Serious Eye Damage/Irritation 1: Serious eye damage/eye irritation – Category 1

Skin Sensitisation 1: Skin sensitisation, Hazard Category 1

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

**Disclaimer**

This SDS is prepared in accord with the Safe Work Australia document “Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - December 2011”

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Sundew Solutions Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.