ALDI Alphachloalose Bird Control FLAT SIZE: 420MM WIDE X 70MM DEEP - FOLDS TO: 120MM WIDE X 70MM DEEP DATE: 23/11/11

STORAGE AND DISPOSAL: Store in the closed, original

container in a cool, well-ventilated area. DO NOT store for

prolonged periods in direct sunlight. Rinse containers before

disposal. DO NOT dispose of undiluted chemical on site. If

recycling, replace cap and return containers to recycler or

below the surface in a disposal pit specifically marked

and set up for this purpose clear of waterways, desirable

State or territory government regulations. **DO NOT** burn

swallowed. When preparing product for use wear elbow-

length PVC gloves. If on skin and after each baiting, wash

FIRST AID: If poisoning occurs get to a doctor or hospital

MSDS: Additional information is listed in the Material Safety

thoroughly with soap and water. After each day's use, wash

SAFETY DIRECTIONS: Very dangerous, Poisonous if

empty containers or product.

gloves and contaminated clothing.

quickly. Avoid giving alcohol.

vegetation and tree roots, in compliance with relevant Local,

DIRECTIONS FOR USE:

DO NOT undertake baiting if non-target species are likely to feed on the bait in significant numbers. **DO NOT** allow treated grain seed to contaminate grain/other seed intended for animal or human consumption.

| SITUATION | PEST | RATE | CRITICAL COMMENTS |
|--------------------------------|---|------------------------|--|
| Commercial & Industrial areas. | Domestic or Feral Pigeon, Rock Dove (<i>Columba livia</i>) | 20 g per kg of bait | For the bait substrate use medium sized gra (for example wheat). |
| Domestic & | | (2%) | Refer to the general instructions for use belo |
| public service areas. | House Sparrow (Passer domesticus) and | 10 g per kg of bait | For the bait substrate use small seeds or manufactured grain products (for example |
| Agricultural buildings & other | Tree Sparrow (Passer montanus) | (1%) | canary seed mix or bread crumbs). Refer to the general instructions for use |

farm situations. NOT TO BE USED FOR ANY PURPOSE. OR IN ANY MANNER. CONTRARY TO THIS LABEL

UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION. **AUTHORISED PERSON:** This product must only be supplied to and used by Authorised Persons. Each State and Territory has specific criteria that must be addressed before a person is considered to be an authorised person. Persons wanting to be considered to be an authorised person for the use of this product must contact the appropriate State or Territory authority to

address the criteria and ensure that the State or Territory Control of Use legislation is adhered to.

POISON

KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING

management facility. If an approved waste management facility is not available bury the empty packaging 500 mm

BIRD CONTROL AGENT

ACTIVE CONSTITUENT: 990 g/kg ALPHACHLORALOSE For use only in the control of pigeon (Columba livia) and sparrow (Passer

domesticus and Passer montanus) as specified in the directions for use. RESTRICTED CHEMICAL PRODUCT - ONLY TO BE SUPPLIED TO

OR USED BY AN AUTHORISED PERSON.



Important: Read the attached leaflet before using product.

Data Sheet available from the supplier.

2a Elimatta Rd, Mona Vale NSW 2103 Ratch No. Telephone: (02) 9999 3949 Facsimile: (02) 9997 7681 Date of Manufacture:

APVMA Approval No.: 66284/53237

GENERAL INSTRUCTIONS FOR USE

Prior to baiting: Pre-feeding birds with untreated bait is essential. Use the same material for pre-feeding as will be used for the bait. Pre-feed on a hard dry surface, 30-60 grams per bird for 1-3 weeks or until all birds are feeding prior to use of the product. During pre-feeding calculate the amount of bait that is expected to be required to allow the theoretical capture of all target birds in the flock.

MIXING PROCEDURE

- Pigeon (Columba livia)
- a. Place the required amount of clean bait material in a strong plastic bag. b. Use paraffin, peanut or other vegetable oil as an adhesive agent at the rate of 8-10 mL per kg of bait. Apply the correct
- amount of oil to the bait.
- c. Hold the bag in a ballooned fashion and agitate it until the bait is evenly coated with oil.
- d. Weigh out the correct amount of product and add to the oil covered bait.

sparrows from ingesting too much toxin too guickly.

- e. Hold the bag in a ballooned fashion and agitate bag until bait is coated evenly. Bait is now ready to use.
- Sparrow (Passer domesticus and Passer montanus)
- a. Place the required amount of clean bait material in a strong plastic bag.
- b. Use paraffin, peanut or other vegetable oil as an adhesive agent at the rate of 8-10 mL per kg of bait. Apply the correct

- amount of oil to the bait

- c. Hold the bag in a ballooned fashion and agitate it until the bait is evenly coated with oil.
- d. Weigh out the correct amount of product, add to the oil covered bait and mix thoroughly.
- e. Mix 50% poisoned seed with 50% untreated grain and place in feeding area. The addition of untreated grain prevents

Baiting should commence at first light (early morning). Baited grain/seed should be exposed for ½ to 1 day only and then withdrawn and free feed substituted. Apply 10 g baited wheat per pigeon or 1 g baited seed per sparrow (before mixing with untreated seed). Lay bait in a dry area and keep bait dry. Only use enough bait to allow the theoretical capture of all birds in the flock. Constant supervision must be maintained at all times during baiting. Monitor any non-target birds or animals taking the bait and follow up on their fate. Repeat if necessary Non-target species: Baiting should occur where non-target species will not be exposed to the bait. Baiting must be stopped and bait recovered if non-target species arrive in significant numbers during baiting. If a non-target species is affected it can be picked up and revived by keeping in a darkened enclosure at normal (around 26°C)

temperature before being released.

DISPOSAL OF BIRDS All affected birds must be immediately collected and euthanized humanely and then placed in garbage bags for disposal. All deceased birds are to be placed into heavy-duty garbage bags, sealed with nylon cable ties and disposed of through appropriate waste disposal methods. Birds are to be disposed of in a landfill/tip. The bags of

dead birds must be buried to prevent access by predatory birds and other animals (e.g. dogs, foxes).

sufficient to ensure that scavenging birds cannot readily access the bait.

REMOVAL AND DISPOSAL OF USED PRODUCT

At the end of the baiting operation all remaining product must be swept up and removed for disposal. Moisture can inhibit the effectiveness of the bait and baiting must be dry. Product to be disposed is to be placed into heavy-duty garbage bags, sealed with nylon cable ties and disposed of by burial at a local authorised landfill. Burial should be

ALDI Alphachloalose Bird Control FLAT SIZE: 420MM WIDE X 70MM DEEP — FOLDS TO: 120MM WIDE X 70MM DEEP DATE: 23/11/11

PRECAUTIONS

Alphachloralose is a stupefying agent and should be handled accordingly. During periods when birds are feeding on bait keep extraneous noise to a minimum as birds become very sensitive. Baiting with Alphachloralose is more effective when ambient temperature is neither high nor low.

PROTECTION OF LIVESTOCK

DO NOT place bait in a location which is accessible to domestic animals or livestock.

territory government regulations. **DO NOT** burn empty containers or product.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT Highly toxic to birds. **DO NOT** use product in areas where native birds are likely to come into contact with product.

Dangerous to fish. **DO NOT** contaminate streams, rivers or waterways with the product or used container.

STORAGE AND DISPOSAL Store in the closed, original container in a cool, well-ventilated area, **DO NOT** store for prolonged periods in direct sunlight. Rinse containers before disposal. **DO NOT** dispose of undiluted chemical on site. If recycling, replace cap and return containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or

SAFETY DIRECTIONS

Very dangerous. Poisonous if swallowed. When preparing product for use wear elbow-length PVC gloves. If on skin and after each baiting, wash thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing. Collection of dead birds: When collecting dead or dying birds wear rubber gloves and appropriate protective clothing.

FIRST AID

If poisoning occurs get to a doctor or hospital quickly. Avoid giving alcohol.

MSDS

Additional information is listed in the Material Safety Data Sheet available from the supplier. **CONDITIONS OF SALE:** Subject to the Trade Practices Act 1974. The manufacturer's liability for any damage, loss or injury howsoever caused arising out of the use of this product shall be limited to the replacement of any defective product, supply of equivalent goods or payment of the cost of the replacement of the defective product. This product is

sold subject to conditions of sale endorsed on the label.



2a Elimatta Rd. Mona Vale NSW 2103 Telephone: (02) 9999 3949 Facsimile: (02) 9997 7681

THIS PANEL GLUES TO BOTTLE, THEN A RUBBER BAND PLACED OVER THE TOP

POISON

KEEP OUT OF REACH OF CHILDREI READ SAFETY DIRECTIONS BEFORE OPENING OR USING

BIRD CONTROL AGENT

ALDI GC PTY LTD

ACTIVE CONSTITUENT: 990 g/kg ALPHACHLORALOSE For use only in the control of pigeon (Columba livia) and sparrow (Passer

domesticus and Passer montanus) as specified in the directions for use.

RESTRICTED CHEMICAL PRODUCT - ONLY TO BE SUPPLIED TO OR

USED BY AN AUTHORISED PERSON. IMPORTANT: Read this leaflet thoroughly before using product.

and water. After each day's use, wash gloves and Net Contents: 50 q

FIRST AID: If poisoning occurs get to a doctor or

hospital guickly. Avoid giving alcohol.

Safety Data Sheet available from the supplier.

purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or territory government regulations. DO NOT burn empty containers or product.

STORAGE AND DISPOSAL: Store in the closed.

original container in a cool, well-ventilated area.

DO NOT store for prolonged periods in direct

DO NOT dispose of undiluted chemical on site.

If not recycling, break, crush or puncture and

deliver empty packaging to an approved waste

management facility is not available bury the

empty packaging 500 mm below the surface in a

disposal pit specifically marked and set up for this

management facility. If an approved waste

If recycling, replace cap and return containers to recycler or designated collection point.

sunlight. Rinse containers before disposal.

SAFETY DIRECTIONS: Very dangerous

Poisonous if swallowed. When preparing product for use wear elbow-length PVC gloves. If on skin and after each baiting, wash thoroughly with soap

MSDS: Additional information is listed in the Material