

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

FENDONA® PRESSURISED INSECTICIDE

ACTIVE CONSTITUENT: 0.5 g/kg ALPHA-CYPERMETHRIN

Propellant: Carbon Dioxide

GROUP 3A INSECTICIDE

A fast-knockdown, residual insecticide for the control of ants, cockroaches, silverfish, spiders, fleas, Indian meal moth, red flour beetle, bed bugs, flies and mosquitoes in and around domestic, industrial, commercial, public health and agricultural buildings except where animals are housed

CONTENTS: 500 g NET

BASF Australia Ltd ABN 62 008 437 867 Level 12, 28 Freshwater Place, Southbank VICTORIA 3006

Website: www.pestcontrol.basf.com.au © BASF, 2016 ® = Registered trademark of BASF 2016

APVMA Approval No.: 81056/102249



DIRECTIONS FOR USE

RESTRAINTS

DO NOT apply as a space spray.

DO NOT use to control fleas on animals.

DO NOT use in animal housing.

PEST	CRITICAL COMMENTS
Ants,	Apply onto surfaces and into cracks and crevices where insects may be harbouring, living and
Cockroaches,	breeding for up to 3 months residual control. Apply as a surface application up to but not
Silverfish,	exceeding the point of run off.
Spiders,	Use crack and crevice nozzle to direct spray into cracks, crevices and other hard to reach
Fleas,	places. Live activity can be treated as a spot treatment.
Indian meal moth and	Carpets should have a small hidden area sprayed and checked for any discolouration before
Red flour beetle	widespread use.
Bed Bugs	Apply directly onto bed bug activity as a spot treatment. DO NOT apply to mattress or bedding.
	An IPM approach should be followed for the control of bed bugs. For more information refer to the Code of Practice for the Control of Bed Bug Infestations in Australia.
Flies and Mosquitoes	Apply to surfaces where flies and/or mosquitos are likely to rest. For outdoor control, apply to surfaces where flies and/or mosquitos tend to be a nuisance.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

GENERAL INSTRUCTIONS

This product is ideally suited to be used with the Systems III Pressurised Dispenser unit. If using without System III, hold container upright whilst spraying. After use with the Systems III Pressurised Dispenser, ensure that the valve is closed and that the hose line is drained to avoid leaking.

FENDONA® Pressurised Insecticide is a fast-knockdown, residual insecticide that controls insects by contact action and ingestion. When applied as a surface spray, the product offers long residual activity. FENDONA® Pressurised Insecticide is of relatively low toxicity to humans and other animals and is suitable for use in domestic and public areas.

To obtain best results, all surfaces should be treated, especially cracks, crevices and infested areas. FENDONA® Pressurised Insecticide can be used to control insect pests in internal and external situations in and around domestic, commercial and public buildings: including food processing facilities, hospitals and schools. Spray from a distance of 20-30 cm directly onto insects or spray onto surfaces for residual protection as per the Directions for Use table. Apply FENDONA® Pressurised Insecticide to clean surfaces, free of dirt, dust, oils, grease and other residues. Surfaces should have a small hidden area sprayed and checked for any discoloration before widespread use.

RESISTANCE WARNING

GROUP 3A INSECTICIDE

For insecticide resistance management FENDONA® Pressurised Insecticide is a Group 3A insecticide. Some naturally occurring insect biotypes resistant to FENDONA® Pressurised Insecticide and other Group 3A insecticides may exist through normal genetic variability in any insect population. The resistant individuals may eventually dominant the insect population if FENDONA® Pressurised Insecticide or other Group 3A insecticides are used repeatedly. The effectiveness of FENDONA® Pressurised Insecticide on resistant individuals can be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, BASF Australia Ltd accepts no liability for any losses which may result from the failure of FENDONA® Pressurised Insecticide to control resistant insects. FENDONA® Pressurised Insecticide may be subject to specific resistance management strategies. For further information, contact your local supplier or BASF Australia Ltd representative.



PRECAUTIONS

Keep out of reach of children.

DO NOT apply directly to food, food packaging or food contact surfaces.

DO NOT apply to mattress or bedding.

Before use – Cover or remove bird cages or fish tanks during spraying. Remove or cover all exposed foodstuffs, cover all dishes and utensils and places where food is prepared or stored.

After use – Thoroughly ventilate treated area. Clean up thoroughly before processing / serving resumes.

BEWARE: Deliberately sniffing or inhaling concentrated spray can be harmful or fatal.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish. DO NOT contaminate ponds, waterways or drains with product or used container.

STORAGE AND DISPOSAL

Keep in a cool place out of the sun. Do not puncture or incinerate can, even when empty. Recycle empty cans if a facility is available, or place used can in household rubbish.

SAFETY DIRECTIONS

Harmful if inhaled. May irritate the eyes and skin. Facial skin contact may cause temporary facial numbness. Avoid contact with eyes and skin. DO NOT inhale spray mist. Wear disposable gloves. Wash hands after use.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Telephone 13 11 26 Australia-wide; New Zealand 0800 764 766. If swallowed, DO NOT induce vomiting. Give a glass of water.

If sprayed on skin, wash thoroughly. If sprayed in mouth, rinse mouth with water.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet.

CONDITIONS OF SALE

All conditions and warranties rights and remedies implied by law or arising in contract or tort whether due to the negligence of BASF Australia Ltd ABN 62008437867 or otherwise are hereby expressly excluded so far as the same may legally be done provided however that any rights of the Buyer pursuant to non-excludable conditions or warranties of the Competition and Consumer Act 2010 or any relevant legislation of any State are expressly preserved but the liability of BASF Australia Ltd or any intermediate Seller pursuant thereto shall be limited if so permitted by the said legislation to the replacement of the goods sold or the supply of equivalent goods and all liability for indirect or consequential loss or damage of whatsoever nature is expressly excluded. This product must be used or applied strictly in accordance with the instructions appearing hereon. This product is solely sold for use in Australia and must not be exported without the prior written consent of BASF Australia Ltd.

FENDONA® PRESSURISED INSECTICIDE 0.5 g/kg ALPHA-CYPERMETHRIN

Hazard Statement:

Flammable aerosol. Pressurized container: May burst if heated. May be fatal if swallowed and enters airways. May cause drowsiness or dizziness. Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

Keep away from, and do not spray near on heat, and ignition sources. No smoking. Wash contaminated body parts thoroughly after handling. Use only in a well-ventilated areas.

Precautionary Statements (Response):

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Seek medical advice if you feel unwell or if skin irritation occurs. Take off contaminated clothing and wash it before reuse. Collect spillage.

Precautionary Statements (Storage):

Store in a well-ventilated place. Store locked up. Do no expose to temperatures exceeding 50°C.

APVMA Approval No. 81056/102249

© BASF

® = Registered trademark of BASF



Batch No: Date of Manufacture:

BASF Australia Ltd ABN 62 008 437 867 Level 12, 28 Freshwater Place Southbank VICTORIA 3006

FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY PHONE 1800 803 440 TOLL FREE-ALL HOURS-AUSTRALIA