

Safety data sheet

Page: 1/11

BASF Safety data sheet
Date / Revised: 26.10.2016
Product: AMDRO C/ROACH GEL

Version: 2.0

(30269350/SDS_GEN_AU/EN)

Date of print 29.10.2016

1. Substance/preparation and manufacturer/supplier identification

AMDRO C/ROACH GEL

Use: insecticide

Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867) Level 12, 28 Freshwater Place Southbank Victoria 3006, AUSTRALIA Telephone: +61 3 8855-6600

Telefax number: +61 3 8855-6500

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia] BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

Classification of the substance and mixture:

Reproductive toxicity: Cat. 1B (fertility)

Specific target organ toxicity — repeated exposure: Cat. 2 Hazardous to the aquatic environment - acute: Cat. 1 Hazardous to the aquatic environment - chronic: Cat. 1

Label elements and precautionary statement:

Pictogram:



Signal Word:

BASF Safety data sheet
Date / Revised: 26.10.2016
Product: AMDRO C/ROACH GEL

Date / Revised: 26.10.2016 Version: 2.0

(30269350/SDS_GEN_AU/EN)

Date of print 29.10.2016

Danger

Hazard Statement:

May cause damage to organs through prolonged or repeated exposure. May damage fertility. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

Wear protective gloves/clothing/eye protection. Do not breathe dust or mist. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Precautionary Statements (Response):

Get medical advice/attention if you feel unwell. IF exposed or concerned: Call a POISON CENTER or doctor/physician. Collect spillage.

Precautionary Statements (Storage):

Store locked up.

Precautionary Statements (Disposal):

Dispose of contents/container to hazardous or special waste collection point.

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/information on ingredients

Chemical nature

Bait, insecticide

Hazardous ingredients

Hydramethylnon technical

Content (W/W): 2 % Acute Tox.: Cat. 4 (Inhalation - dust)

CAS Number: 67485-29-4 Acute Tox.: Cat. 4 (oral)

Eye Dam./Irrit.: Cat. 2A

Repr.: Cat. 1B (fertility)

STOT RE: Cat. 1 Aquatic Acute: Cat. 1 Aquatic Chronic: Cat. 1 M-factor chronic: 1000

4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

BASF Safety data sheet
Date / Revised: 26.10.2016
Product: AMDRO C/ROACH GEL

Version: 2.0

(30269350/SDS_GEN_AU/EN)

Date of print 29.10.2016

On skin contact:

Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known. Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media: dry powder, foam, water spray

Unsuitable extinguishing media for safety reasons: carbon dioxide

Specific hazards:

carbon monoxide, hydrogen fluoride, carbon dioxide, nitrogen oxides

The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Avoid contact with the skin, eyes and clothing. Use personal protective clothing. Avoid dust formation.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

BASF Safety data sheet Date / Revised: 26.10.2016

Product: AMDRO C/ROACH GEL

(30269350/SDS_GEN_AU/EN)

Date of print 29.10.2016

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Sweep/shovel up.

Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Collect waste in suitable containers, which can be labeled and sealed. Dispose of absorbed material in accordance with regulations. Avoid raising dust.

7. Handling and Storage

Handling

Ensure thorough ventilation of stores and work areas. No special measures necessary if stored and handled correctly. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Avoid dust formation. Dust can form an explosive mixture with air.

Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Protect against moisture. Keep away from heat. Protect from direct sunlight.

Protect from temperatures below: 0 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure controls and personal protection

Components with occupational exposure limits

No occupational exposure limits known.

Personal protective equipment

Respiratory protection:

Respiratory protection not required.

Hand protection:

Rubber gloves

Eye protection:

Eye protection not required.

BASF Safety data sheet
Date / Revised: 26.10.2016

Product: AMDRO C/ROACH GEL

(30269350/SDS_GEN_AU/EN)

Date of print 29.10.2016

Body protection:

Body protection not required.

General safety and hygiene measures:

Wearing of closed work clothing is recommended. The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: gel

Colour: yellow to brown
Odour: faint odour, aromatic

Odour threshold: Not determined due to potential health hazard by inhalation.

pH value: approx. 3 - 5

(20 °C)

(measured with the undiluted

substance)

Melting point: approx. 0 °C

Information applies to the solvent.

Boiling point: approx. 100 °C

(1,013 hPa)

Information applies to the solvent.

Evaporation rate:

not applicable

Flammability (solid/gas): not flammable

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Thermal decomposition: No decomposition if stored and

handled as prescribed/indicated.

Self ignition: Based on the water content the

product does not ignite.

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

BASF Safety data sheet
Date / Revised: 26.10.2016
Version: 2.0

Product: AMDRO C/ROACH GEL

(30269350/SDS_GEN_AU/EN)

Date of print 29.10.2016

Vapour pressure: approx. 10 mmHg

(21 °C)

Density: approx. 1.10 g/cm3

(20 °C)

Bulk density: approx. 1.10 g/cm3

Relative vapour density (air):

not applicable

Solubility in water: soluble

Partitioning coefficient n-octanol/water (log Pow):

not applicable

Viscosity, dynamic: < 0.001 mPa.s (N-114; Viskosität nach

(20 °C) Brookfield)

10. Stability and Reactivity

Conditions to avoid:

See MSDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if stored and handled as

prescribed/indicated.

Substances to avoid:

strong bases, strong acids, strong oxidizing agents

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

The product has not been tested. The statement has been derived from the properties of the individual components.

Experimental/calculated data:

LD50 rat (oral): > 5,000 mg/kg (OECD Guideline 401)

(by inhalation): The product has not been tested. The statement has been derived from the properties of the individual components.

BASF Safety data sheet Date / Revised: 26.10.2016

Product: AMDRO C/ROACH GEL

(30269350/SDS_GEN_AU/EN)

Date of print 29.10.2016

LD50 rat (dermal): > 4,000 mg/kg (OECD Guideline 402) No mortality was observed.

Information on: 5,5-dimethyl-perhydro-pyrimidin-2-one-.alpha.-(4-trifluoromethylstyryl)-.alpha.-(4-

trifluoromethyl)cinnamylidenehydrazone

Experimental/calculated data:

LC50 rat (by inhalation): 2.9 mg/l 4 h (OECD Guideline 403)

Tested as dust aerosol.

Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation rabbit: (OECD Guideline 404)

Serious eye damage/irritation rabbit: (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

Buehler test guinea pig: Non-sensitizing. (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 5,5-dimethyl-perhydro-pyrimidin-2-one-.alpha.-(4-trifluoromethylstyryl)-.alpha.-(4trifluoromethyl)cinnamylidenehydrazone

Assessment of reproduction toxicity:

Causes impairment of fertility in laboratory animals.

BASF Safety data sheet
Date / Revised: 26.10.2016

Product: AMDRO C/ROACH GEL

(30269350/SDS_GEN_AU/EN)

Date of print 29.10.2016

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure):

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 5,5-dimethyl-perhydro-pyrimidin-2-one-.alpha.-(4-trifluoromethylstyryl)-.alpha.-(4-trifluoromethyl)cinnamylidenehydrazone

Assessment of repeated dose toxicity:

Repeated oral exposure to small quantities may affect certain organs.

Aspiration hazard

The product has not been tested. The statement has been derived from the properties of the individual components.

No aspiration hazard expected.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 5,5-dimethyl-perhydro-pyrimidin-2-one-.alpha.-(4-trifluoromethylstyryl)-.alpha.-(4-trifluoromethyl)cinnamylidenehydrazone

Toxicity to fish:

LC50 (96 h) 0.09 mg/l, Ictalurus punctatus, syn: I. robustus (static)

BASF Safety data sheet
Date / Revised: 26.10.2016

Product: AMDRO C/ROACH GEL

(30269350/SDS_GEN_AU/EN)

Date of print 29.10.2016

Information on: 5,5-dimethyl-perhydro-pyrimidin-2-one-.alpha.-(4-trifluoromethylstyryl)-.alpha.-(4-trifluoromethyl)cinnamylidenehydrazone

Aquatic invertebrates:

EC50 (96 h) 0.0544 mg/l, Americamysis bahia

Information on: 5,5-dimethyl-perhydro-pyrimidin-2-one-.alpha.-(4-trifluoromethylstyryl)-.alpha.-(4-trifluoromethyl)cinnamylidenehydrazone

Aquatic plants:

EC50 (72 h) 0.01112 mg/l, Pseudokirchneriella subcapitata

EC10 (72 h) 0.00481 mg/l, Pseudokirchneriella subcapitata

Information on: 5,5-dimethyl-perhydro-pyrimidin-2-one-.alpha.-(4-trifluoromethylstyryl)-.alpha.-(4-trifluoromethyl)cinnamylidenehydrazone

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d), 0.000088 mg/l, Daphnia magna

Mobility

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 5,5-dimethyl-perhydro-pyrimidin-2-one-.alpha.-(4-trifluoromethylstyryl)-.alpha.-(4-trifluoromethyl)cinnamylidenehydrazone

Assessment transport between environmental compartments:

No data available.

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 5,5-dimethyl-perhydro-pyrimidin-2-one-.alpha.-(4-trifluoromethylstyryl)-.alpha.-(4-trifluoromethyl)cinnamylidenehydrazone

Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria).

Bioaccumulation potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

BASF Safety data sheet Date / Revised: 26.10.2016

Product: AMDRO C/ROACH GEL

(30269350/SDS_GEN_AU/EN)

Date of print 29.10.2016

Information on: 5,5-dimethyl-perhydro-pyrimidin-2-one-.alpha.-(4-trifluoromethylstyryl)-.alpha.-(4-

trifluoromethyl)cinnamylidenehydrazone

Bioaccumulation potential:

Bioconcentration factor: 95, Gambusia affinis (measured)

Does not accumulate in organisms.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Domestic transport:

Hazard class: 9
Packing group: III

ID number: UN 3077 Hazard label: 9, EHSM

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(contains HYDRAMETHYLNON)

Further information

Hazchem Code:2Z IERG Number:47

Sea transport

IMDG

Hazard class: 9 Packing group: III

ID number: UN 3077
Hazard label: 9, EHSM
Marine pollutant: YES

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(contains HYDRAMETHYLNON)

Air transport

IATA/ICAO

Hazard class: 9

BASF Safety data sheet
Date / Revised: 26.10.2016
Version: 2.0

Product: AMDRO C/ROACH GEL

(30269350/SDS_GEN_AU/EN)

Date of print 29.10.2016

Packing group: III

ID number: UN 3077 Hazard label: 9, EHSM

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(contains HYDRAMETHYLNON)

Further information

Environmentally Hazardous Substances meeting the description of UN 3077 or UN 3082 are not subjected to the Australian Dangerous Goods Code when transported by road or rail in packagings not exceeding 500 kg(L) or IBCs.

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 6

Registration status:

AICS, AU released w/o restriction f. BASF / not listed

APVMA Approval 50460

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.