

**CAUTION**  
**KEEP OUT OF REACH OF CHILDREN**  
**READ SAFETY DIRECTIONS BEFORE OPENING OR USING**



# FENDONA<sup>®</sup>

**15 SC INSECTICIDE**

## **INSECTICIDE**

Active Constituent: 15 g/L ALPHA-CYPERMETHRIN

**A residual insecticide for control of ants, cockroaches, silverfish, fleas, flies and spiders in domestic, industrial and public health situations as per the DIRECTIONS FOR USE table.**

**TO BE USED BY LICENSED PEST CONTROL OPERATORS ONLY.**

### **GENERAL INSTRUCTIONS**

FENDONA 15 SC Insecticide controls insects by contact action and ingestion. When applied as a surface spray, the product offers long residual activity.

FENDONA is of relatively low toxicity to humans and other mammals and is suitable for use in domestic and public areas.

### **INSECTICIDE RESISTANCE WARNING**

For insecticide resistance management FENDONA 15 SC Insecticide is a Group **3A** insecticide. Some naturally occurring insect biotypes resistant to FENDONA 15 SC Insecticide and other Group 3A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if FENDONA 15 SC or other Group 3A insecticides are used repeatedly. The effectiveness of FENDONA 15 SC Insecticide on resistant individuals could be significantly reduced.

Since occurrence of resistant individuals is difficult to detect prior to use, BASF Australia Ltd accepts no liability for any losses that may result from the failure of FENDONA 15 SC Insecticide to control resistant insects.

FENDONA 15 SC Insecticide may be subject to specific resistance management strategies.

For further information, contact your local supplier, BASF Australia Ltd representative.

### **APPLICATION**

FENDONA 15 SC can be applied with a knapsack sprayer or other conventional spray equipment used to control public health pests.

To obtain best results all surfaces should be treated, especially cracks, crevices and infested areas. A higher volume of water may be required on very absorbent surfaces. Apply to the point of run-off only.

Shake or invert the container before opening. Carefully measure the required amount of FENDONA 15 SC in a graduated cylinder and add to half the volume of water in the spray tank.

Top up with the remainder of the water and agitate thoroughly. Do NOT store diluted insecticide. Prepare a fresh suspension as necessary.

Evacuate premises to be treated.

The premises can be re-occupied once spray applications are completed. Clean sprayer out thoroughly after use.

### **PRECAUTIONS**

Avoid contact with food, food utensils, or places where food is prepared or stored.

**Before use** - remove or cover all exposed foodstuffs; cover all dishes and utensils, and places where food is prepared or stored.

**After use** - thoroughly ventilate treated area. Clean up thoroughly before processing/serving resumes.

Cover or remove bird cages or fish tanks during spraying.

### **PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT**

Dangerous to fish. Do NOT contaminate ponds, waterways or drains with product or used container.

### **STORAGE AND DISPOSAL**

Store in the original container, tightly closed, in a safe place. Keep away from foodstuffs. Triple rinse containers with water before disposal. Add rinsings to spray tank. Do NOT dispose of undiluted chemicals on-site. Break, crush or puncture and bury empty containers in a local authority landfill.

If not available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers and product should NOT be burnt.

### **SAFETY DIRECTIONS**

Harmful if swallowed. May irritate the eyes and skin. Facial skin contact may cause temporary facial numbness. Avoid contact with eyes and skin. Avoid inhaling spray mist. When preparing spray, wear cotton overalls buttoned to the neck and wrist and a washable hat and elbow-length PVC gloves. Wash hands after use. After each day's use, wash gloves and contaminated clothing.

### **FIRST AID**

If poisoning occurs, contact a doctor or Poisons Information Centre. Telephone 131126 Australia-wide.

### **MSDS**

Additional information is listed in the Material Safety Data Sheet.

# **BASF**

**DIRECTIONS FOR USE**

SITUATION	PEST	RATE	CRITICAL COMMENTS
Domestic, industrial and public health situations	German cockroach	40 mL in 1 L water	For crawling insects, apply as a coarse low pressure spray to areas where pests frequent. For flying insects, apply as a surface treatment using a fine spray to wet the surface.
	Australian cockroach, American cockroach, smoky brown cockroach, oriental cockroach, fleas, flies, silverfish, spiders	<b>Initial treatment or Extended control or Heavy infestations:</b> 40 mL in 1 L water <b>Maintenance treatment or Short term control or Light infestations:</b> 20 mL in 1 L water	Apply 5 L of diluted spraymix per 100 square metres. If a different water rate is required, adjust the dilution rate to ensure that 2 mL of FENDONA is applied per square metre for initial treatments, extended control or heavy infestations; and that 1 mL of FENDONA is applied per square metre for maintenance treatments, short term control or light infestations. Add a non-ionic surfactant at the registered label rates to improve spreading on hard to wet surfaces. FENDONA 15 SC is NOT to be used to control fleas on animals.
	Ants	Initial treatment 50 to 65 mL in 1 L water Maintenance treatment 35 mL in 1 L water	Use the higher rate for ant control where population numbers are high.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

**CONDITIONS OF SALE:** All conditions and warranties rights and remedies implied by law or arising in contract or tort whether due to the negligence of BASF Australia Ltd. or otherwise are hereby expressly excluded so far as the same may legally be done provided however that any rights of the Buyer pursuant to non excludable conditions or warranties of the Trade Practices Act 1974 or any relevant legislation of any State are expressly preserved but the liability of BASF Australia Ltd. or any intermediate Seller pursuant thereto shall be limited if so permitted by the said legislation to the replacement of the goods sold or the supply of equivalent goods and all liability for indirect or consequential loss or damage of whatsoever nature is expressly excluded. This product must be used or applied strictly in accordance with the instructions appearing hereon. This product is solely sold for use in Australia and must not be exported without the prior written consent of BASF Australia Ltd.

® = Registered trademark of BASF  
© Copyright, 2001

NRA Approval No.: 40496

THIS PRODUCT IS NOT CONSIDERED TO BE A DANGEROUS GOOD UNDER THE AUSTRALIAN CODE FOR THE TRANSPORT OF DANGEROUS GOODS BY ROAD AND RAIL

---

FOR SPECIALIST ADVICE IN AN  
**EMERGENCY ONLY**  
**PHONE 1 800 033 111**  
TOLL FREE – ALL HOURS – AUSTRALIA-WIDE

**BASF Australia Ltd**  
ABN 62 008 437 867  
Norwest Business Park, 7 Maitland Place  
Baulkham Hills NSW 2153

Customer Service Telephone: 1800 635 550  
Customer Service Fax: 1800 630 005  
Product Information Line: 1800 501 940  
Fax On Demand: 0500 544 044

