CERTIFICATE OF CONFORMITY

CODEMARK™

This is to certify that

CAMILLERI UNDERSLAB INJECTION SYSTEM

CertMark Australasia Pty Ltd

Product description

The "CAMILLERI" System is a reticulation system consisting of polyethylene pipe perforated at specified regular intervals which distribute a liquid termiticide into a sand/soil layer.

Product purpose or use

A termite management system to deter concealed entry of subterranean termites into buildings.

Certificate holder

Camilleri Underslab Pty Ltd
72 Churchill Mines Road
Dundathu Qld 4650
Ph: 07 41215996
Fax: 07 41216518
www.camilleriunderslab.com.au

CodeMark certification body

CertMark Australasia Pty Ltd
(ACN 154 306 804)
JAS-ANZ Accreditation No. Z4450210AK
Address: PO Box 7144, Sippy Downs, QLD, 4556
Website: www.certmark.com.au

Complies with the Building Code of Australia:

1. Volume One: BP1.1 (b)(xv).
2. Volume Two: P2.1 (b)(xv).
3. State Additions: Volume Two: QLD P2.1.1 (limited only to actions by subterranean termites).

Subject to the following conditions and limitations:

1. The Camilleri Underslab Injection System is to be installed by licensed installers, trained and approved by Camilleri Underslab Pty Ltd.
2. The Camilleri Underslab Injection System is to be installed in accordance with the Installation Manual for Camilleri Underslab Injection System CUSIS-AITM Version 3 (September, 2012).
3. The concrete slab must be constructed in accordance with the requirements of AS 2870-1996 Residential Slabs and Footings – Constructed (as amended up to and including Amdt 4, May 2003) or AS 3600-2009 Concrete Structures.
4. Inspections are undertaken annually in accordance with the Installation Manual for Camilleri Underslab Injection System, CUSIS-AITM Version 3 (September, 2012) to make sure that the chemical barrier has not been breached.
5. This certification covers the Camilleri Underslab Injection System only when injected with chemicals approved by the APVMA for use in Reticulation Systems.
6. In accordance with BCA 2012 Volume One:NTB1.4 (i)(ii) and BCA 2012 Volume Two: 3.1.3.2(b) (Qld Variation 3.1.3.2 (a) (b) a durable notice must be permanently fixed to the building in a prominent location, such as a meter box or the like indicating:
   (i) The method of termite risk management; and
   (ii) The date of installation of the systems; and
   (iii) where a chemical barrier is used, its life expectancy as listed on the National Registration Authority Label; and
   (iv) The installer's or manufacturers recommendations for the scope and frequency of future inspections for termite activity.

NOTES:

1. The installation of any termite barrier system cannot guarantee a 100% protection against infestation by subterranean termites. Thus the installation of a termite management system does not negate the need for regular competent inspections. Any additions, alterations or earth works, including gardening adjacent to the building may render the barrier ineffective. Such activity should be referred to a licensed installation contractor for appropriate advice and treatment.
2. Any additional treatment should be done in accordance with the relevant State or Territory regulations.

ABCB

JAS-ANZ

WWW.JAS-ANZ.ORG/REGISTER

John Thorpe	Luke Owen-Jones	31/8/2012	31/8/2015	CMA-CM40018
Director	Unrestricted	Date of issue	Date of expiry	Certificate Number
CertMark Australasia Pty Ltd	Building Certifier			

- This Certificate of Conformity is issued by an accredited certification body under arrangement with JAS-ANZ. The ABCB does not in any way warrant, guarantee or represent that the Product the subject of this Certificate of Conformity conforms with the BCA, nor accepts any liability arising out of the use of the Product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate.
- It is advised to check that this Certificate of Conformity is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the ABCB website, www.abcb.gov.au.