**READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

# *Maxforce® GOLD*

## GEL INSECTICIDE

Active constituent: 0.3 g/kg FIPRONIL

## GROUP 2B INSECTICIDE

A gel bait for the treatment of cockroach infestations.

Before using this product, read all directions on the outer pack. The dispenser must not be sold separately. Do not destroy outer pack while product remains.

35 g NET

**DIRECTIONS FOR USE**

DO NOT place in areas that are routinely washed.

| SITUATION | PEST | RATE | CRITICAL COMMENTS |
|---|---|---|---|
| Domestic, Commercial and Public Service buildings including; farm buildings, food processing establishments, factories, hospitals, homes, kitchens, offices, restaurants, retail outlets, store-rooms, vehicles and other situations which fall within these definitions. | German and other common cockroaches. | Apply at least 2 spots per $m^2$. Increasing the number of spots (up to 5/$m^2$) may be required for heavy infestations or if the American cockroach is the main pest.<br><br>Recommended spot size is approximately 5 mm diameter (0.1 g) or the size of the spot indicated below<br><br>● | Conduct a thorough inspection of the premises and then place gel in areas near cockroach harbourages or in sheltered areas where signs of cockroaches are evident.<br><br>Replenish gel if previous application has been consumed and cockroaches remain a problem; increasing number of spots if necessary. |

**NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION**

**GENERAL INSTRUCTIONS**

To apply the gel, remove the cap on the nozzle and touch the tip to the surface to be treated and slowly depress plunger until sufficient gel is dispensed. Recap the dispenser after treatment is completed.

Where maintenance treatments form part of the professional pest controllers contract it is recommended that cockroach activity be monitored where gel has been applied one month after initial treatment or at more regular intervals in areas of high infestation.

**INSECTICIDE RESISTANCE WARNING**

| GROUP | 2B | INSECTICIDE |
|---|---|---|

For insecticide resistance management Maxforce Gold Gel is a Group 2B insecticide. Some naturally occurring insect biotypes resistant to Maxforce Gold Gel and other Group 2B insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Maxforce Gold Gel or other Group 2B insecticides are used repeatedly. The effectiveness of Maxforce Gold Gel on resistant individuals could be significantly reduced. Since the occurrence of resistant individuals is difficult to detect prior to use, Bayer CropScience accepts no liability for any losses that may result from the failure of this product to control resistant insects. Maxforce Gold Gel Insecticide may be subject to specific resistance management strategies. For further information contact your local supplier or Bayer Environmental Science representative.

**PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT**

DO NOT contaminate streams, rivers or waterways with the chemical or used containers. DO NOT apply this product in any areas easily accessible to children or animals.

**STORAGE AND DISPOSAL**
Store in the closed, original container in a cool, well ventilated locked place out of the reach of children. DO NOT store in direct sunlight and do not store at temperatures exceeding 35°C. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in the garbage.

**SAFETY DIRECTIONS**
May irritate the eyes and skin. Avoid contact with eyes and skin. Wash hands after use.

**SAFETY DATA SHEET**
Additional information is listed in the Safety Data Sheet.

**EXCLUSION OF LIABILITY**
This product as supplied is of a high grade and suitable for the purpose for which it is expressly intended and must be used in accordance with the directions. The user must monitor the performance of any product as climatic, geographical or biological variables and/or developed resistance may affect the results obtained. No responsibility is accepted in respect of this product, save for those non-excludable conditions implied by the Trade Practices Act or any State or Federal legislation.

Maxforce® is a registered trademark of the Bayer Group

Bayer CropScience Pty Ltd
A.B.N. 87 000 226 022
Level 1, 8 Redfern Rd,
Hawthorn East, Vic. 3123
Phone: (03) 9248 6888
Fax: (03) 9248 6800
www.es.bayer.com.au

BATCH NO:
DATE OF MANUFACTURE

APVMA Approval No.: 55553/0802

**May cause an allergic skin reaction.**
Wear protective gloves. IF ON SKIN: Wash with plenmty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before re-use.

**FOR 24 HOUR SPECIALIST ADVICE IN EMERGENCY ONLY PHONE 1800 033 111**

SYRINGE LABEL – COMMON TO AU AND NZ

## READ SAFETY DIRECTIONS BEFORE OPENING OR USING

# Maxforce® Gold

## GEL INSECTICIDE

**ACTIVE CONSTITUENT: 0.3 g/kg FIPRONIL**

| | | | |
|---|---|---|---|
| | **GROUP** | **2B** | **INSECTICIDE** |

A gel bait for the treatment of cockroach infestations.

## 35 g NET

**Before using this product, read all the directions on the outer pack. This dispenser must not be sold separately. Do not destroy outer pack while product remains.**

**STORAGE AND DISPOSAL**
Store in the closed, original container in a cool, well ventilated locked place out of the reach of children. Do not store in direct sunlight and do not store at temperatures exceeding 35 °C. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in the garbage.

**SAFETY DIRECTIONS**
May irritate the eyes and skin. Avoid contact with eyes and skin. Wash hands after use.

**APVMA Approval No**. 55553/0802

MAXFORCE® is a registered trademark of the Bayer Group

**Registered to**
Bayer CropScience Pty Ltd
A.B.N. 87 000 226 022
Level 1, 8 Redfern Rd,
Hawthorn East, Vic. 3123
Phone Australia: (03) 9248 6888
Freecall NZ: 0800 227 012
www.es.bayer.com.au

**In NZ**
**APPROVED PURSUANT TO THE HSNO ACT 1996, No. HSR000821**
See www.mpi.govt.nz for approval controls

**HSNO CLASSIFICATIONS**
9.1C, 9.4B

