CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS

Guardian
Baysol® Snail & Slug Bait

ACTIVE CONSTITUENT: 20 g/kg METHIOCARB (an anticholinesterase compound)
Contains BITREX a taste deterrent.

Proven protection from snails, slugs, slaters and millipedes in the home garden. Long lasting. Fast Acting. Mould resistant.

READ PET PROTECTION INFORMATION, RESTRAINTS, CAUTIONS, HOW TO USE AND STORAGE AND DISPOSAL INSTRUCTIONS BEFORE USING

Contents: 250 g – 1 kg

HOW TO USE

DO NOT HEAP BAITS
DO NOT use directly on vegetable or fruit plants, or any other food plant.
DO NOT allow pets to access bait, box or bag – lock all in a safe place.
DO NOT use in areas on which poultry, pigs or other domestic pets graze.
DO NOT use in areas where food producing animals may have access.

BEFORE USE, READ "CAUTION" SECTION REGARDING THE PROTECTION OF PETS

AREA	PEST	RATE	HOW TO APPLY
Gardens	Snails, Slugs, Slaters, Millipedes	100 baits per square metre	Sprinkle evenly onto ground. **DO NOT** HEAP BAITS. Heaping is unnecessary and wasteful and may pose a risk to dogs and cats. **KEEP DOGS AWAY FROM TREATED AREAS**. Dogs find this bait attractive and it may kill them if eaten. **KEEP AWAY** from domestic pets.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED

WITHHOLDING PERIOD

DO NOT graze or cut treated areas for stock food for 28 days after application.

HOW TO PREPARE

Heaping the bait is wasteful and may pose a risk to dogs or cats.
[Diagram]: Apply sparingly like this.

CAUTION

CLEAN UP SPILLED BAITS immediately so that they are not eaten by birds or other animals.
LOCK IN A SAFE PLACE preventing access of children, dogs, poultry, ducks or other animals. Keep away from domestic pets. Keep away from dogs. Dogs find this bait attractive and it may kill them. This product contains a taste deterrent but some pets may still find the bait attractive and eat the bait. Symptoms of pet poisoning may include (but are not limited to) constricted pupils, hypersalivation, vomiting, diarrhoea, difficulty in breathing, coughing and seizures. If poisoning is suspected, take pet to a veterinarian immediately.
A veterinary treatment advice for pets that have ingested this product is available. DO NOT administer ipecac syrup.
Toxic to birds and wild mammals. DO NOT use in areas where vulnerable, threatened, endangered or critically endangered mammals are known to occur. DO NOT allow chemical containers or product to get into drains, sewers, streams, ponds or wetlands. Highly toxic to bees. However, the use of this product as directed is not expected to have adverse effects on bees.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. LOCK IN A SAFE PLACE preventing access of children, dogs, poultry, ducks or other animals. Store separately from animal feeds or feed stocks.
Ensure that the container is completely empty before disposal. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in garbage. Empty packaging should not be burnt. Do not re-use empty container for any other purpose.

SAFETY DIRECTIONS

Product is harmful if swallowed. May irritate the eyes. Avoid contact with eyes and skin. Do not touch bait except when wearing disposable gloves. If dust is present wear disposable dust face mask covering mouth and nose. If on skin and after each baiting, wash thoroughly with soap and water. Wash hands after use.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126; New Zealand 0800 764 766.

® Baysol is a registered trademark of Sundew Solutions Pty Ltd

Sundew Solutions Pty Ltd
ABN 37 135 400 261
Head Office
Unit 11, 4 Dunlop Court
Bayswater VIC 3153
Phone 1800 786 339
www.sundewsolutions.com.au
APVMA Approval Number 94269/145725
Batch No:
DOM: