File name: 69324_46621_10KGB_label_MPL_V02.pdf
Dimensions: 235mm (w) x 465mm (h)
Scale: 84% when printed on A3
Date: 29/9/09

CAUTION

Infopest ✓ Verified

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

SlugOut®

All Weather Slug & Snail Bait

ACTIVE CONSTITUENT: 18g/kg METALDEHYDE



APVMA APPROVED LABEL

RAIN RESISTANT GRANULES

Crop Care

For the control of slugs and snails in gardens, fruit and vegetable crops, winter cereals, oilseeds (including poppies), pulses and pastures.

DIRECTIONS FOR USE: All States
Restraint: DO NOT place granules in heaps.

Situation	Pest	Rate	Critical Comments
Fruit and vegetable crops	Snails and slugs	**Broadcast:** 20 kg/ha OR 200 g/100 m^2	Broadcast evenly over the surface of the ground around seedlings and plants to be protected and in areas where snails and slugs congregate.
		Drilling with seed: 10 kg/ha	Drill into soil along with the seed. Distribute through granule application hopper or mix thoroughly with the seed.
Gardens and small areas		6 g/m^2	Scatter evenly.
Winter Cereals Oilseeds (including poppies) Pulses* Pasture establishment*	Common white snail *(Cernuella virgata)* White Italian snail *(Theba pisana)* Conical snail *(Cochlicella acuta)* Grey field slug *(Decoceras reticulatum)*	10 kg/ha	Broadcast evenly over the crop or pasture area to be protected from snails and slugs. Pay particular attention to areas adjacent to headlines, fence lines and other areas where snails and slugs shelter and move into crops and pastures. * **Pulse and Pasture crops only**: SlugOut is to be used only during the establishment stages of pulse crops and pastures. Broadcast granules evenly over the crop area to be protected either prior to planting, post-plant pre-emergence or early post-emergence (prior to 4 leaf stage).

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIOD:
Harvest
Fruit and Vegetables, Gardens, Small crops: DO NOT APPLY LATER THAN 7 DAYS BEFORE HARVEST.
Pulses, Oilseeeds (including poppies), Winter cereals: NOT REQUIRED WHEN USED AS DIRECTED.

Grazing
Pastures, Pulses, Oilseeds (including poppies), Winter cereals: DO NOT GRAZE OR CUT FOR STOCK FOOD FOR 5 WEEKS AFTER APPLICATION.

GENERAL INSTRUCTIONS
Ensure protection of seedlings and mature plants with regular applications of this product.

Application
Apply after rain, watering or during damp and humid weather. For best results apply 5 - 10 days before planting.

PRECAUTIONS
DO NOT apply to edible plant parts.
DO NOT graze or cut for stockfeed any crops while SlugOut granules are visible in the plant foliage.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT
DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

PROTECTION OF DOMESTIC ANIMALS AND LIVESTOCK
Keep away from animals, poultry, ducks and domestic pets as accidental poisoning may be fatal. Although SlugOut granules are generally unattractive to dogs, the product is not repellent, and some dogs may sample the granules out of curiosity. If pets or livestock are poisoned contact a veterinary surgeon.

STORAGE AND DISPOSAL
Store in the closed, original container in a dry, cool, well-ventilated area away from children, animals, food and feedstuffs. Do not store for prolonged periods in direct sunlight.
Shake container empty into application equipment. DO NOT dispose of undiluted chemicals on site. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

SAFETY DIRECTIONS
Poisonous if swallowed. Wash hands after use.

FIRST AID
If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131 126.

MATERIAL SAFETY DATA SHEET
Additional information is listed in the Material Safety Data Sheet which can be obtained from your supplier or from the Crop Care website: www.cropcare.com.au

Conditions of Sale
Crop Care Australasia will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply or use of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Crop Care Australasia Pty Ltd is limited to the replacement of the goods or (at the option of Crop Care Australasia Pty Ltd) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to Crop Care Australasia Pty Ltd within thirty days of delivery.

In a Transport Emergency Dial	SPECIALIST ADVICE IN EMERGENCY ONLY
000 Police or Fire Brigade	**1800 033 498** ALL HOURS - AUSTRALIA WIDE

'SlugOut' is a Registered Trade Mark

Crop Care Australasia Pty Ltd
A.C.N. 061 362 347
Unit 15/16 Metroplex Avenue
MURARRIE Qld 4172
Tel: (07) 3909 2000

APVMA Approval No.: 49324/10kgB/0909
9-09/WM/A1089-20K

NET CONTENTS : 10kg

File name: 69324_46621_20KGB_label_MPL_V02.pdf
Dimensions: 235mm (w) x 465mm (h)
Scale: 84% when printed on A3
Date: 29/9/09

CAUTION

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

SlugOut®

All Weather Slug & Snail Bait

ACTIVE CONSTITUENT: 18g/kg METALDEHYDE



APVMA APPROVED LABEL

RAIN RESISTANT GRANULES

Crop Care

For the control of slugs and snails in gardens, fruit and vegetable crops, winter cereals, oilseeds (including poppies), pulses and pastures.

DIRECTIONS FOR USE: All States
Restraint: DO NOT place granules in heaps.

Situation	Pest	Rate	Critical Comments
Fruit and vegetable crops	Snails and slugs	**Broadcast:** 20 kg/ha OR 200 g/100 m^2	Broadcast evenly over the surface of the ground around seedlings and plants to be protected and in areas where snails and slugs congregate.
		Drilling with seed: 10 kg/ha	Drill into soil along with the seed. Distribute through granule application hopper or mix thoroughly with the seed.
Gardens and small areas		6 g/m^2	Scatter evenly.
Winter Cereals Oilseeds (including poppies) Pulses* Pasture establishment*	Common white snail *(Cernuella virgata)* White Italian snail *(Theba pisana)* Conical snail *(Cochlicella acuta)* Grey field slug *(Decoceras reticulatum)*	10 kg/ha	Broadcast evenly over the crop or pasture area to be protected from snails and slugs. Pay particular attention to areas adjacent to headlines, fence lines and other areas where snails and slugs shelter and move into crops and pastures. * **Pulse and Pasture crops only**: SlugOut is to be used only during the establishment stages of pulse crops and pastures. Broadcast granules evenly over the crop area to be protected either prior to planting, post-plant pre-emergence or early post-emergence (prior to 4 leaf stage).

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIOD:
Harvest
Fruit and Vegetables, Gardens, Small crops: DO NOT APPLY LATER THAN 7 DAYS BEFORE HARVEST.
Pulses, Oilseeeds (including poppies), Winter cereals: NOT REQUIRED WHEN USED AS DIRECTED.

Grazing
Pastures, Pulses, Oilseeds (including poppies), Winter cereals: DO NOT GRAZE OR CUT FOR STOCK FOOD FOR 5 WEEKS AFTER APPLICATION.

GENERAL INSTRUCTIONS
Ensure protection of seedlings and mature plants with regular applications of this product.

Application
Apply after rain, watering or during damp and humid weather. For best results apply 5 - 10 days before planting.

PRECAUTIONS
DO NOT apply to edible plant parts.
DO NOT graze or cut for stockfeed any crops while SlugOut granules are visible in the plant foliage.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT
DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

PROTECTION OF DOMESTIC ANIMALS AND LIVESTOCK
Keep away from animals, poultry, ducks and domestic pets as accidental poisoning may be fatal. Although SlugOut granules are generally unattractive to dogs, the product is not repellent, and some dogs may sample the granules out of curiosity. If pets or livestock are poisoned contact a veterinary surgeon.

STORAGE AND DISPOSAL
Store in the closed, original container in a dry, cool, well-ventilated area away from children, animals, food and feedstuffs. Do not store for prolonged periods in direct sunlight.
Shake container empty into application equipment.
DO NOT dispose of undiluted chemicals on site. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility.
DO NOT burn empty containers or product.

SAFETY DIRECTIONS
Poisonous if swallowed. Wash hands after use.

FIRST AID
If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131 126.

MATERIAL SAFETY DATA SHEET
Additional information is listed in the Material Safety Data Sheet which can be obtained from your supplier or from the Crop Care website: www.cropcare.com.au

Conditions of Sale
Crop Care Australasia will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply or use of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Crop Care Australasia Pty Ltd is limited to the replacement of the goods or (at the option of Crop Care Australasia Pty Ltd) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to Crop Care Australasia Pty Ltd within thirty days of delivery.

In a Transport Emergency Dial	SPECIALIST ADVICE IN EMERGENCY ONLY
000	**1800 033 498**
Police or Fire Brigade	ALL HOURS - AUSTRALIA WIDE

'SlugOut' is a Registered Trade Mark

Crop Care Australasia Pty Ltd
A.C.N. 061 362 347
Unit 15/16 Metroplex Avenue
MURARRIE Qld 4172
Tel: (07) 3909 2000

APVMA Approval No.: 49324/20kgB/0909
9-09/WM/A1089-20K

9 319438 004155

BN

DOM

NET CONTENTS : 20kg

69324_46621_150KG_label_MPL_V02.pdf
Dimensions: 475mm (w) x 220mm (h)
Scale: 82% when printed on A3
Date: 29/9/09

CAUTION

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

SlugOut®

All Weather Slug & Snail Bait

ACTIVE CONSTITUENT: 18g/kg METALDEHYDE



For the control of slugs and snails in gardens, fruit and vegetable crops, winter cereals, oilseeds (including poppies), pulses and pastures

NET CONTENTS: 150kg

Crop Care Australasia Pty Ltd, Unit 15/16 Metroplex Avenue, Murarrie QLD 4172

DIRECTIONS FOR USE: All States
Restraint: DO NOT place granules in heaps.

Situation	Pest	Rate	Critical Comments
Fruit and vegetable crops	Snails and slugs	**Broadcast:** 20 kg/ha OR 200 g/100 m^2	Broadcast evenly over the surface of the ground around seedlings and plants to be protected and in areas where snails and slugs congregate.
		Drilling with seed: 10 kg/ha	Drill into soil along with the seed. Distribute through granule application hopper or mix thoroughly with the seed.
Gardens and small areas		6 g/m^2	Scatter evenly.
Winter Cereals Oilseeds (including poppies) Pulses* Pasture establishment*	Common white snail *(Cernuella virgata)* White Italian snail *(Theba pisana)* Conical snail *(Cochlicella acuta)* Grey field slug *(Decoceras reticulatum)*	10 kg/ha	Broadcast evenly over the crop or pasture area to be protected from snails and slugs. Pay particular attention to areas adjacent to headlines, fence lines and other areas where snails and slugs shelter and move into crops and pastures. *** Pulse and Pasture crops only:** SlugOut is to be used only during the establishment stages of pulse crops and pastures. Broadcast granules evenly over the crop area to be protected either prior to planting, post-plant pre-emergence or early post-emergence (prior to 4 leaf stage).

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIODS:
Harvest
Fruit and Vegetables, Gardens, Small crops: DO NOT APPLY LATER THAN 7 DAYS BEFORE HARVEST.
Pulses, Oilseeeds (including poppies), Winter cereals: NOT REQUIRED WHEN USED AS DIRECTED.

Grazing
Pastures, Pulses, Oilseeds (including poppies), Winter cereals: DO NOT GRAZE OR CUT FOR STOCK FOOD FOR 5 WEEKS AFTER APPLICATION.

GENERAL INSTRUCTIONS
Ensure protection of seedlings and mature plants with regular applications of this product.

Application
Apply after rain, watering or during damp and humid weather. For best results apply 5 - 10 days before planting.

PRECAUTIONS
DO NOT apply to edible plant parts.
DO NOT graze or cut for stockfeed any crops while SlugOut granules are visible in the plant foliage.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT
DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

PROTECTION OF DOMESTIC ANIMALS AND LIVESTOCK
Keep away from animals, poultry, ducks and domestic pets as accidental poisoning may be fatal. Although SlugOut granules are generally unattractive to dogs, the product is not repellent, and some dogs may sample the granules out of curiosity. If pets or livestock are poisoned contact a veterinary surgeon.

HANDLING INSTRUCTIONS
To avoid personal injury where lifting of the container is required, DO NOT attempt to manually handle or elevate this pack to fill fertilizer combines or spreaders. When lifting the container, use appropriate drum handling equipment. If appropriate lifting equipment is not available, smaller pack sizes should be used.

STORAGE AND DISPOSAL
Store in the closed, original container in a cool, well-ventilated area away from children, animals, food and feedstuffs. Do not store for prolonged periods in direct sunlight.
Triple rinse container before disposal. Dispose of rinsate or any undiluted chemical according to State and Territory legislative requirements. DO NOT dispose of any undiluted chemicals on site. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

SAFETY DIRECTIONS
Poisonous if swallowed. Wash hands after use.

FIRST AID
If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131 126.

MATERIAL SAFETY DATA SHEET
Additional information is listed in the Material Safety Data Sheet which can be obtained from your supplier or from the Crop Care website: www.cropcare.com.au

Conditions of Sale
Crop Care Australasia will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply or use of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Crop Care Australasia Pty Ltd is limited to the replacement of the goods or (at the option of Crop Care Australasia Pty Ltd) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to Crop Care Australasia Pty Ltd within thirty days of delivery.

In a Transport Emergency Dial 000 Police or Fire Brigade	SPECIALIST ADVICE IN EMERGENCY ONLY **1800 033 498** ALL HOURS - AUSTRALIA WIDE

'SlugOut' is a Registered Trade Mark

BN

DOM

9 319438 004360

Crop Care
Crop Care Australasia Pty Ltd
A.C.N. 061 362 347
Unit 15/16 Metroplex Avenue
MURARRIE Qld 4172
Tel: (07) 3909 2000

APVMA Approval No.: 49324/150kg/0909

9-09/WM/A1089-150K

File name: 69324_46621_5KG_label_MPL_V02.pdf
Dimensions: 210mm (w) x 295mm (h) – each page
Scale: 100% when printed on A4
Date: 22/9/09

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

SlugOut®

All Weather Slug & Snail Bait

APPROVED LABEL

ACTIVE CONSTITUENT : 18g/kg METALDEHYDE

For the control of slugs and snails in gardens, fruit and vegetable crops, winter cereals, oilseeds (including poppies), pulses and pastures.

Rain Resistant Granules

NET CONTENTS: 5kg

Crop Care Australasia Pty Ltd, Unit 15/16 Metroplex Avenue, Murarrie Qld 4172

DIRECTIONS FOR USE: All States
Restraint : DO NOT place granules in heaps.

Situation	Pest	Rate	Critical Comments
Fruit and vegetable crops	Snails and slugs	**Broadcast:** 20 kg/ha OR 200 g/100m²	Broadcast evenly over the surface of the ground around seedlings and plants to be protected and in areas where snails and slugs congregate.
		Drilling with seed: 10 kg/ha	Drill into soil along with the seed. Distribute through granule application hopper or mix thoroughly with the seed.
Gardens and small areas		6 g/m²	Scatter evenly.
Winter Cereals Oilseeds (including poppies) Pulses* Pasture establishment*	Common white snail (*Cernuella virgata*) White Italian snail (*Theba pisana)* Conical snail (*Cochlicella acuta)* Grey field slug (*Decoceras reticulatum)*	10 kg/ha	Broadcast evenly over the crop or pasture area to be protected from snails and slugs. Pay particular attention to areas adjacent to headlines, fence lines and other areas where snails and slugs shelter and move into crops and pastures. *** Pulse and Pasture crops only**: SlugOut is to be used only during the establishment stages of pulse crops and pastures. Broadcast granules evenly over the crop area to be protected either prior to planting, post-plant pre-emergence or early post-emergence (prior to 4 leaf stage).

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIODS

Harvest

Fruit and Vegetables, Gardens, Small crops: DO NOT APPLY LATER THAN 7 DAYS BEFORE HARVEST.

Pulses, Oilseeeds (including poppies), Winter cereals: NOT REQURIED WHEN USED AS DIRECTED.

Grazing

Pastures, Pulses, Oilseeds (including poppies), Winter cereals: DO NOT GRAZE OR CUT FOR STOCK FOOD FOR 5 WEEKS AFTER APPLICATION.

GENERAL INSTRUCTIONS

Ensure protection of seedlings and mature plants with regular applications of this product.

Application

Apply after rain, watering or during damp and humid weather. For best results apply 5 - 10 days before planting.

PRECAUTIONS

DO NOT apply to edible plant parts.
DO NOT graze or cut for stockfeed any crops while SlugOut granules are visible in the plant foliage.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

PROTECTION OF DOMESTIC ANIMALS AND LIVESTOCK
Keep away from animals, poultry, ducks and domestic pets as accidental poisoning may be fatal. Although SlugOut granules are generally unattractive to dogs, the product is not repellent, and some dogs may sample the granules out of curiosity. If pets or livestock are poisoned contact a veterinary surgeon.

STORAGE AND DISPOSAL
Store in the closed, original container in a cool, well-ventilated area away from children, animals, food and feedstuffs. Do not store for prolonged periods in direct sunlight.

Triple rinse container before disposal. Dispose of rinsate or any undiluted chemical according to State and Territory legislative requirements. DO NOT dispose of any undiluted chemicals on site. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

SAFETY DIRECTIONS
Poisonous if swallowed. Wash hands after use.

FIRST AID
If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131 126.

MATERIAL SAFETY DATA SHEET
Additional information is listed in the Material Safety Data Sheet which can be obtained form your supplier or from the Crop Care website:www.cropcare.com.au

Conditions of Sale
Crop Care Australasia will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply or use of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Crop Care Australasia Pty Ltd is limited to the replacement of the goods or (at the option of Crop Care Australasia Pty Ltd) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to Crop Care Australasia Pty Ltd within thirty days of delivery.

In a Transport Emergency Dial **000** Police or Fire Brigade	SPECIALIST ADVICE IN EMERGENCY ONLY **1800 033 498** ALL HOURS - AUSTRALIA WIDE

'SlugOut' is a Registered Trade Mark.

Crop Care Australasia Pty Ltd
A.C.N. 061 362 347
Unit 15/16 Metroplex Avenue
Murarrie Qld 4172
Tel: (07) 3909 2000

Bar code to be inserted here

APVMA Approval No. : 49324/5kg/0909

BN

DOM

File name: 69324_46621_10KGA_label_MPL_V02.pdf
Dimensions: 210mm (w) x 295mm (h) – each page
Scale: 100% when printed on A4
Date: 22/9/09

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

SlugOut®

All Weather Slug & Snail Bait

APPROVED LABEL

ACTIVE CONSTITUENT : 18g/kg METALDEHYDE

For the control of slugs and snails in gardens, fruit and vegetable crops, winter cereals, oilseeds (including poppies), pulses and pastures.

Rain Resistant Granules

NET CONTENTS: 10kg

Crop Care Australasia Pty Ltd, Unit 15/16 Metroplex Avenue, Murarrie Qld 4172

DIRECTIONS FOR USE: All States
Restraint : DO NOT place granules in heaps.

Situation	Pest	Rate	Critical Comments
Fruit and vegetable crops	Snails and slugs	**Broadcast:** 20 kg/ha OR 200 g/100m²	Broadcast evenly over the surface of the ground around seedlings and plants to be protected and in areas where snails and slugs congregate.
		Drilling with seed: 10 kg/ha	Drill into soil along with the seed. Distribute through granule application hopper or mix thoroughly with the seed.
Gardens and small areas		6 g/m²	Scatter evenly.
Winter Cereals Oilseeds (including poppies) Pulses* Pasture establishment*	Common white snail (*Cernuella virgata*) White Italian snail (*Theba pisana)* Conical snail (*Cochlicella acuta)* Grey field slug (*Decoceras reticulatum)*	10 kg/ha	Broadcast evenly over the crop or pasture area to be protected from snails and slugs. Pay particular attention to areas adjacent to headlines, fence lines and other areas where snails and slugs shelter and move into crops and pastures. *** Pulse and Pasture crops only**: SlugOut is to be used only during the establishment stages of pulse crops and pastures. Broadcast granules evenly over the crop area to be protected either prior to planting, post-plant pre-emergence or early post-emergence (prior to 4 leaf stage).

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIODS

Harvest

Fruit and Vegetables, Gardens, Small crops: DO NOT APPLY LATER THAN 7 DAYS BEFORE HARVEST.

Pulses, Oilseeeds (including poppies), Winter cereals: NOT REQURIED WHEN USED AS DIRECTED.

Grazing

Pastures, Pulses, Oilseeds (including poppies), Winter cereals: DO NOT GRAZE OR CUT FOR STOCK FOOD FOR 5 WEEKS AFTER APPLICATION.

GENERAL INSTRUCTIONS

Ensure protection of seedlings and mature plants with regular applications of this product.

Application

Apply after rain, watering or during damp and humid weather. For best results apply 5 - 10 days before planting.

PRECAUTIONS

DO NOT apply to edible plant parts.
DO NOT graze or cut for stockfeed any crops while SlugOut granules are visible in the plant foliage.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

PROTECTION OF DOMESTIC ANIMALS AND LIVESTOCK
Keep away from animals, poultry, ducks and domestic pets as accidental poisoning may be fatal. Although SlugOut granules are generally unattractive to dogs, the product is not repellent, and some dogs may sample the granules out of curiosity. If pets or livestock are poisoned contact a veterinary surgeon.

STORAGE AND DISPOSAL
Store in the closed, original container in a cool, well-ventilated area away from children, animals, food and feedstuffs. Do not store for prolonged periods in direct sunlight.

Triple rinse container before disposal. Dispose of rinsate or any undiluted chemical according to State and Territory legislative requirements. DO NOT dispose of any undiluted chemicals on site. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

SAFETY DIRECTIONS
Poisonous if swallowed. Wash hands after use.

FIRST AID
If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131 126.

MATERIAL SAFETY DATA SHEET
Additional information is listed in the Material Safety Data Sheet which can be obtained form your supplier or from the Crop Care website:www.cropcare.com.au

Conditions of Sale
Crop Care Australasia will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply or use of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Crop Care Australasia Pty Ltd is limited to the replacement of the goods or (at the option of Crop Care Australasia Pty Ltd) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to Crop Care Australasia Pty Ltd within thirty days of delivery.

In a Transport Emergency Dial **000** Police or Fire Brigade	SPECIALIST ADVICE IN EMERGENCY ONLY **1800 033 498** ALL HOURS - AUSTRALIA WIDE

'SlugOut' is a Registered Trade Mark.

Crop Care Australasia Pty Ltd
A.C.N. 061 362 347
Unit 15/16 Metroplex Avenue
Murarrie Qld 4172
Tel: (07) 3909 2000

Bar code to be inserted here

APVMA Approval No. : 49324/10kgA/0909

BN

DOM

File name: 69324_46621_20KGA_label_MPL_V01.pdf
Dimensions: 210mm (w) x 295mm (h) – each page
Scale: 100% when printed on A4
Date: 22/9/09

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

SlugOut®

All Weather Slug & Snail Bait

APPROVED LABEL

ACTIVE CONSTITUENT : 18g/kg METALDEHYDE

For the control of slugs and snails in gardens, fruit and vegetable crops, winter cereals, oilseeds (including poppies), pulses and pastures.

Rain Resistant Granules

NET CONTENTS: 20kg

Crop Care Australasia Pty Ltd, Unit 15/16 Metroplex Avenue, Murarrie Qld 4172

DIRECTIONS FOR USE: All States
Restraint : DO NOT place granules in heaps.

Situation	Pest	Rate	Critical Comments
Fruit and vegetable crops	Snails and slugs	**Broadcast:** 20 kg/ha OR 200 g/100m²	Broadcast evenly over the surface of the ground around seedlings and plants to be protected and in areas where snails and slugs congregate.
		Drilling with seed: 10 kg/ha	Drill into soil along with the seed. Distribute through granule application hopper or mix thoroughly with the seed.
Gardens and small areas		6 g/m²	Scatter evenly.
Winter Cereals Oilseeds (including poppies) Pulses* Pasture establishment*	Common white snail (*Cernuella virgata*) White Italian snail (*Theba pisana)* Conical snail (*Cochlicella acuta)* Grey field slug (*Decoceras reticulatum)*	10 kg/ha	Broadcast evenly over the crop or pasture area to be protected from snails and slugs. Pay particular attention to areas adjacent to headlines, fence lines and other areas where snails and slugs shelter and move into crops and pastures. *** Pulse and Pasture crops only**: SlugOut is to be used only during the establishment stages of pulse crops and pastures. Broadcast granules evenly over the crop area to be protected either prior to planting, post-plant pre-emergence or early post-emergence (prior to 4 leaf stage).

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIODS
Harvest
Fruit and Vegetables, Gardens, Small crops: DO NOT APPLY LATER THAN 7 DAYS BEFORE HARVEST.
Pulses, Oilseeeds (including poppies), Winter cereals: NOT REQURIED WHEN USED AS DIRECTED.

Grazing
Pastures, Pulses, Oilseeds (including poppies), Winter cereals: DO NOT GRAZE OR CUT FOR STOCK FOOD FOR 5 WEEKS AFTER APPLICATION.

GENERAL INSTRUCTIONS
Ensure protection of seedlings and mature plants with regular applications of this product.

Application
Apply after rain, watering or during damp and humid weather. For best results apply 5 - 10 days before planting.

PRECAUTIONS
DO NOT apply to edible plant parts.
DO NOT graze or cut for stockfeed any crops while SlugOut granules are visible in the plant foliage.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT
DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

PROTECTION OF DOMESTIC ANIMALS AND LIVESTOCK
Keep away from animals, poultry, ducks and domestic pets as accidental poisoning may be fatal. Although SlugOut granules are generally unattractive to dogs, the product is not repellent, and some dogs may sample the granules out of curiosity. If pets or livestock are poisoned contact a veterinary surgeon.

STORAGE AND DISPOSAL
Store in the closed, original container in a cool, well-ventilated area away from children, animals, food and feedstuffs. Do not store for prolonged periods in direct sunlight.

Triple rinse container before disposal. Dispose of rinsate or any undiluted chemical according to State and Territory legislative requirements. DO NOT dispose of any undiluted chemicals on site. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

SAFETY DIRECTIONS
Poisonous if swallowed. Wash hands after use.

FIRST AID
If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131 126.

MATERIAL SAFETY DATA SHEET
Additional information is listed in the Material Safety Data Sheet which can be obtained form your supplier or from the Crop Care website:www.cropcare.com.au

Conditions of Sale
Crop Care Australasia will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply or use of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Crop Care Australasia Pty Ltd is limited to the replacement of the goods or (at the option of Crop Care Australasia Pty Ltd) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to Crop Care Australasia Pty Ltd within thirty days of delivery.

In a Transport Emergency Dial **000** Police or Fire Brigade	SPECIALIST ADVICE IN EMERGENCY ONLY **1800 033 498** ALL HOURS - AUSTRALIA WIDE

'SlugOut' is a Registered Trade Mark.

Crop Care Australasia Pty Ltd
A.C.N. 061 362 347
Unit 15/16 Metroplex Avenue
Murarrie Qld 4172
Tel: (07) 3909 2000

Bar code to be inserted here

APVMA Approval No. : 49324/20kgA/0909

BN

DOM