


220 mm

CLIENT: Nuturf
PRODUCT: FoliMAX KelMAX Label
AGENCY: REGIONAL REACH ADVERTISING
AGENCY CODE: NTF15221 V5
DATE: 01/04/2014

COLOUR:
Black

Glue Area

Dieline

FoliMAX KelMAX

ROOT BUILDER

NUTURF

DIRECTIONS FOR USE:
Shake well before use and apply as a spray application in sufficient water to achieve adequate plant coverage at the dilution rates specified below.

Situation	Rate	Comments
Turf maintenance	5L/ha	Apply monthly at a dilution rate of between 1:75 to 1:100 parts water.
Turf establishment Root injury recovery	20L/ha	Apply during planting or when rapid root initiation is required at a dilution rate of between 1:75 to 1:100 parts water. If a lower dilation rate is used, lightly irrigate immediately after application.

MIXING:
Fill spray vessel with half the required volume of water. Shake container of KelMAX and add required amount to spray tank while agitating. Add remaining water to the spray tank. Ensure the pH of the tank solution does not exceed 7 for maximum efficacy. Continue agitating during application. Wash out spray tank, including nozzles, immediately after use.

STORAGE, HANDLING & DISPOSAL:
Do not store below 5˚C, as crystallisation may occur. Do not contaminate lakes, streams, dams or ponds by cleaning equipment or disposal of waste. Avoid contact with eyes and skin by wearing appropriate protective equipment, such as gloves, boots and safety goggles. Shake or stir before use as sediment may settle on the bottom of the drum.

FIRST AID:
In case of contact with eyes or skin, flush at once with large amounts of water. If irritation persists, seek medical attention. If swallowed, drink large amounts of water and induce vomiting. Seek medical attention.

CONDITIONS OF SALE:
Nuturf shall not be liable for any loss, injury damage or death whether consequential or otherwise whatsoever, or howsoever arising whether through negligence or otherwise in connection with the sole, supply, use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Nuturf's skill or judgement in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Nuturf has any authority to add to or alter these conditions.

IN A TRANSPORT EMERGENCY DIAL 000
• POLICE OR FIRE BRIGADE •

drumMUSTER eligible container

Batch Number

Date of Manufacture

www.nuturf.com.au


170 mm

220 mm

CLIENT: Nuturf
PRODUCT: FoliMAX KelMAX Label
AGENCY: REGIONAL REACH ADVERTISING
AGENCY CODE: NTF15221 V5
DATE: 01/04/2014

COLOUR:
Black

Dieline



170 mm

220 mm

CLIENT: Nuturf
PRODUCT: FoliMAX KelMAX Label
AGENCY: REGIONAL REACH ADVERTISING
AGENCY CODE: NTF15221 V5
DATE: 01/04/2014

Dieline

COLOUR:
CMYK