CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

COUNTRY

Deltamethrin 10

Residual Insecticide

ACTIVE CONSTITUENT: 10 g/L DELTAMETHRIN

GROUP 3A INSECTICIDE

For the control of a range of insect pests in various situations as per the Directions for Use table.

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE USE

ACCENSI Pty Ltd
ABN 94 079 875 184
Lot 96 Potassium Street, Narangba Qld 4504 Ph: (07) 3897 2000

Contents 2.5 L

COUNTRY DELTAMETHRIN 10 FRONT LABEL 2.5-10L
SIZE: 1400MM WIDE X 130MM
Filename: 53349_42678_2.5-10L_LABEL_MPL_1

COLOURS: BLACK, BLUE 294, YELLOW 1205
SCALE SIZE: PRINT AT 100% ON A4 PAPER

COUNTRY

Deltamethrin 10

Residual Insecticide

STORAGE AND DISPOSAL
Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or a designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill.
If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

PRECAUTION – RE-HANDLING
Allow spray to dry thoroughly, before handling materials (e.g. cut-flowers and sawn logs) that have been treated with COUNTRY Deltamethrin 10 Residual Insecticide. If prior handling is necessary, wear chemical resistant gloves. Gloves must be washed after each day's use.

SAFETY DIRECTIONS
Harmful if swallowed. Facial skin contact may cause temporary facial numbness. Will irritate the eyes and skin. Avoid contact with eyes and skin. When opening the container, preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length PVC gloves and face shield. If product on skin, immediately wash areas with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield and contaminated clothing.

FIRST AID
If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

MATERIAL SAFETY DATA SHEET
For further information, refer to the material safety data sheet which is available from ACCENSI Pty Ltd upon request.

CONDITIONS OF SALE: The use of COUNTRY Deltamethrin 10 Residual Insecticide being beyond the control of the manufacturer no warranty expressed or implied is given by ACCENSI Pty Ltd regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and ACCENSI Pty Ltd accepts no responsibility for any consequence whatsoever resulting from the use of this product.

APVMA Approval No.: 53349/2.5-10L/1007

IN A TRANSPORT EMERGENCY
DIAL 000
POLICE OR FIRE BRIGADE

drumMUSTER eligible container

COUNTRY DELTAMETHRIN 10 BACK LABEL 2.5-10L
SIZE: 140MM WIDE X 130MM
Filename: 53349_42678_2.5-10L_LABEL_MPL_1

COLOURS: BLACK
SCALE SIZE: PRINT AT 100% ON A4 PAPER

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

COUNTRY

Deltamethrin 10

Residual Insecticide

ACTIVE CONSTITUENT:
10 g/L DELTAMETHRIN

GROUP 3A INSECTICIDE

For the control of a range of insect pests in various situations as per the Directions for Use table.

IMPORTANT: READ THIS LEAFLET BEFORE USE

APVMA Approval No.: 53349/2.5-10 leaflet/1007

ACCENSI Pty Ltd
ABN 94 079 875 184
Lot 96 Potassium Street, Narangba Qld 4504
Ph: (07) 3897 2000

STORAGE AND DISPOSAL

LIFT HERE

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or a designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

PRECAUTION – RE-HANDLING

Allow spray to dry thoroughly, before handling materials (e.g. cut-flowers and sawn logs) that have been treated with COUNTRY Deltamethrin 10 Residual Insecticide. If prior handling is necessary, wear chemical resistant gloves. Gloves must be washed after each day's use.

SAFETY DIRECTIONS

Harmful if swallowed. Facial skin contact may cause temporary facial numbness. Will irritate the eyes and skin. Avoid contact with eyes and skin. When opening the container, preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length PVC gloves and face shield. If product on skin, immediately wash areas with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

MATERIAL SAFETY DATA SHEET

For further information, refer to the material safety data sheet which is available from ACCENSI Pty Ltd upon request.

CONDITIONS OF SALE: The use of COUNTRY Deltamethrin 10 Residual Insecticide being beyond the control of the manufacturer no warranty expressed or implied is given by ACCENSI Pty Ltd regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and ACCENSI Pty Ltd accepts no responsibility for any consequence whatsoever resulting from the use of this product.

BARCODE:

drumMUSTER eligible container

BATCH NO:

DATE OF MANUFACTURE:

COUNTRY DELTAMETHRIN 10 LEAFLET FRONT 2.5-10L
SIZE: 140MM WIDE X 130MM
Filename: 53349_42678_2.5-10L_LEAFLET_MPL_1

COLOURS: BLACK
SCALE SIZE: PRINT AT 100% ON A4 PAPER

DIRECTIONS FOR USE:

RESTRAINTS: DO NOT apply spray treatment outdoors if rain is imminent.

SITUATION	PEST	RATE	CRITICAL COMMENTS
Domestic, commercial, industrial and public buildings including: food processing establishments, shops, factories, ships, offices, schools, storerooms, hospitals, barracks, private houses and external areas associated with such establishments		**Initial treatment** 150 mL#	For use on non-porous surfaces dilute with 5 L of water and apply as a coarse spray at a rate of 5 L per 100 m^2 not exceeding the point of run-off.
		Maintenance treatments 75 mL#	For use on porous surfaces or use through power equipment, dilute with 10 L of water and apply per 100 m^2 of surface, not exceeding the point of run-off.
	Cockroaches		Conduct a thorough inspection and apply to known and potential cockroach harbourages. A barrier application around areas where cockroach infestations may be originating is also suggested. Where application of a spray is not suitable, it is recommended that a suitably registered gel be applied as per the registered label on that product.
	Web-spinning spiders		Spray spiders, their webbing and areas where spiders may hide directly. It is recommended that webbing is left in place for a few days after application to optimize efficacy.
	Non-web spinning spiders		Spray areas where spiders are known to occur.
	Ants		Where possible, locate the nest and spray directly into nest entrances. Penetration of insecticide can be assisted by pre-wetting sandy and porous soil with water. A thorough soaking treatment with insecticide mixture is required to destroy the nest. If nest cannot be located then spray infested areas.

SITUATION	PEST	RATE	CRITICAL COMMENTS
Domestic, commercial, industrial and public buildings including: food processing establishments, shops, factories, ships, offices, schools, storerooms, hospitals, barracks, private houses and external areas associated with such establishments *– continued*	Fleas	**Initial treatment** 150 mL# **Maintenance treatments** 75 mL#	Clean and vacuum infested areas and dispose of dust collected in the garbage in a sealed plastic bag. Lightly spray infested areas concentrating on areas under furniture etc. Treat pets with a suitably registered flea control product. **See also the note on application to carpets.**
	Silverfish		Direct spray to areas of potential infestation e.g. under skirting boards and furniture where dark conditions may favour silverfish populations.
	Bed-bugs		Apply to the bed-frame and walls, cracks, crevices and skirting boards in the vicinity of the bed.
	Bird mites		Treat infested areas. Inspect roof voids and remove any old bird nest material. A suitably registered dust product is recommended for treatment of roof void areas.
	Carpet beetles		Apply to infested carpet particularly in areas of little or no traffic and underneath windows where adult beetles may be entering the building. **See also the note on application to carpets.**
	Clothes moths		Spray surfaces in areas where clothes are stored. DO NOT spray the clothes themselves.

SITUATION	PEST	RATE	CRITICAL COMMENTS
Domestic, commercial, industrial and public buildings including: food processing establishments, shops, factories, ships, offices, schools, storerooms, hospitals, barracks, private houses and external areas associated with such establishments *– continued*	Mosquitoes and Houseflies	75 mL#	Spray surfaces where flies and mosquitoes are known to come to rest. **Flies** – include external surfaces that are exposed to the morning sun. **Mosquitoes** – spray walls, awnings, fences and vegetated areas in proximity to buildings. **Note:** The perception of the level of control of flying insects achieved within any given area treated with a residual surface spray will be affected by the extent of in-migration of individuals from external (un-treated) areas. A residual surface spray will only control those insects that alights on the treated surfaces and therefore complete elimination of flying insects from the treated area should not necessarily always be expected.
	Stored product insect pests		The use of this product in the control of stored product pests should be considered part of an integrated strategy to prevent development of insect populations. Best results will be obtained where good hygiene is maintained. Infested areas should be cleaned prior to application and regularly cleaned thereafter to reduce food sources for pests. When treating for beetle pests, pay special attention to sheltered areas such as cracks and crevices, under furniture and equipment, floors, walls and shelves. Adult moths can be controlled by applying this product to walls and surfaces where the flying adult moths come to rest.
	# For use on non-porous surfaces dilute with 5 L of water and apply as a coarse spray at a rate of 5 L per 100 m^2 not exceeding the point of run-off. For use on porous surfaces or use through power equipment, dilute with 10 L of water and apply per 100 m^2 of surface, not exceeding the point of run-off.		

SITUATION	PEST	RATE	CRITICAL COMMENTS
Cut flowers for export	Quarantine pests	250 mL per 100 L water	Flowers must be totally submerged in the diluted product for not less than 1 minute and then left to dry naturally for 2 hours.
For short term protection of freshly felled pine logs prior to debarking	Five-spined bark beetle (*Ips grandicollis*)	100 mL in 10 L water	Apply through knapsack or power sprayer at the rate of 10 L per 100 m^2 of surface area.
For short term protection of freshly felled logs, poles, posts and sawn timber including in situ timbers	Beetle family *Anobiidae*, Beetle family *Bostrychidae*, Beetle family *Lyctidae* Not WA		**Note:** For best results apply promptly after felling or sawing operations.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS

GROUP 3A INSECTICIDE

For insecticide resistance management, COUNTRY Deltamethrin 10 Residual Insecticide is a Group 3A insecticide. Some naturally occurring insect biotypes resistant to COUNTRY Deltamethrin 10 Residual Insecticide and other Group 3A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if COUNTRY Deltamethrin 10 Residual Insecticide or other Group 3A insecticides are used repeatedly. The effectiveness of COUNTRY Deltamethrin 10 Residual Insecticide on resistant individuals could be significantly reduced.

Since occurrence of resistant individuals is difficult to detect prior to use, ACCENSI Pty Ltd accepts no liability for any losses that may result from the failure of COUNTRY Deltamethrin 10 Residual Insecticide to control resistant insects. COUNTRY Deltamethrin 10 Residual Insecticide may be subject to specific resistance management strategies. For further information, contact your local supplier or ACCENSI representative.

MIXING / APPLICATION

Shake original container before use. Periodically agitate suspension during application to ensure thorough mixing.

For best results, form a premix of the required amount of product with an equal volume of water. Stir thoroughly. Add to spray tank and dilute with remaining amount of water. Agitate thoroughly.

DO NOT store diluted insecticide. Prepare a fresh solution as necessary.

DO NOT spray the moving parts of any machinery, electric motors or switchgear with the water-based product.

Note on application to carpets:

Whilst carpets are regarded as porous surfaces, excessive liquid application may produce water-stains and therefore the non-porous surface rate should be adopted if possible.

Hence for short pile carpet, the 5 L dilution rate (per 100 m^2) should be sufficient. However, for long pile or shag carpet, the 10 L dilution rate (per 100 m^2) may be required, to ensure effective penetration and application to all of the carpet pile. Since carpets vary in their thickness, colour and material it is recommended that a small, inconspicuous area of carpet be sprayed and allowed to dry first to ensure that staining will not occur.

USE AS A RESIDUAL SURFACE TREATMENT FOR CONTROL OF STORED PRODUCT PESTS.

The following measures should be observed:

- Ensure food items in store are not exposed to spray – if necessary remove food items from the area to be treated. Allow all treated surfaces to dry before replacing food items – where possible avoid spraying actual surfaces which food is likely to directly contact.

- DO NOT allow spray to contact food packaging material.
- Discard any foodstuff accidentally contaminated with spray solution.

PRECAUTIONS

Avoid contact with food, food utensils, or places where food is prepared or stored.
BEFORE USE – remove or cover all exposed foodstuffs. Cover all dishes and utensil, and places where food is prepared or stored.
AFTER USE – thoroughly ventilate treated area. Clean up thoroughly before processing/serving resumes.
Surface treatment only – DO NOT spray into the atmosphere using foggers or other devices designed to create an aerosol. Allow treated carpets to dry before resuming activity on them.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area.
DO NOT store for prolonged periods in direct sunlight.
The method of disposal of the container depends on the container type.
Read the Storage and Disposal instructions on the label that is attached to the container.

PRECAUTION – RE-HANDLING

Allow spray to dry thoroughly, before handling materials (e.g. cut-flowers and sawn logs) that have been treated with COUNTRY Deltamethrin 10 Residual Insecticide. If prior handling is necessary, wear chemical resistant gloves. Gloves must be washed after each day's use.

SAFETY DIRECTIONS

Harmful if swallowed. Facial skin contact may cause temporary facial numbness. Will irritate the eyes and skin. Avoid contact with eyes and skin. When opening the container, preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length PVC gloves and face shield. If product on skin, immediately wash areas with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

MATERIAL SAFETY DATA SHEET

For further information, refer to the material safety data sheet which is available from ACCENSI Pty Ltd upon request.

CONDITIONS OF SALE: The use of COUNTRY Deltamethrin 10 Residual Insecticide being beyond the control of the manufacturer no warranty expressed or implied is given by ACCENSI Pty Ltd regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and ACCENSI Pty Ltd accepts no responsibility for any consequence whatsoever resulting from the use of this product.